SUBJECT INDEX

Accidental Hypothermia and Near Drowning, 1st Edn, GALLANDAT HUET, R. C. G., *et al.*, (editors), (*R*) 760

Accidental injury, Improving the management of major trauma, CLARK, C., (*E*) 139

Acid–base equilibrium, Changes in serum electrolyte and atrial natriuretic peptide concentrations, acid–base and haemodynamic status after rapid infusion of isotonic saline and Ringer lactate solution in healthy volunteers, KAMP-JENSEN, M., *et al.* 606–610

——, Effects of altering ventilation on pH and potassium ion activity, HUGHES, K. R., *et al.*, (*ARS*) 382P

——, Neonatal acid–base status after general, spinal or extradural anaesthesia for Caesarean section, RATCLIFFE, F. M., (*ARS*) 381–382P

Adductor pollicis, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299

Advances in Pain Research and Therapy, Vol. II, 1st Edn, STRATTON HILL, C. JR, *et al.*, (editors), (*R*) 533

Age factors, Anaesthesia and outcome of surgery for fractured neck of femur, DAVIS, F. M., *et al.*, (*C*) 403–404

——, Anaesthesia and outcome of surgery for fractured neck of femur, MCKENZIE, P. J., *et al.*, (*C*) 404

——, Cardiovascular changes in the elderly following induction of anaesthesia at various rates, PEACOCK, J. E., *et al.*, (*ARS*) 391–392P

——, End-tidal concentrations of halothane and isoflurane during induction of anaesthesia in young and elderly patients, DWYER, R., *et al.* 36–41

——, Pharmacodynamics of alcuronium in the elderly, KENT, A. P., *et al.*, (*ARS*) 385–386P

——, Spinal anaesthesia in young patients using a 29-gauge needle: technical considerations and an evaluation of postoperative complaints compared with general anaesthesia, DAHL, J. B., *et al.* 178–182

Airway, anatomy, Effect of anaesthesia on the geometry of the pharynx, NANDI, P. R., *et al.*, (*ARS*) 384P

Airway, infections, Anaesthesia and upper respiratory tract infections—a non-existent hazard? FENNELLY, M. E., *et al.*, (*E*) 535–536

Airway, obstruction, Upper airway obstruction by the soft palate: influence of position of head, jaw and neck, GALLOWAY, D. W., (*ARS*) 383–384P

Airway, patency, Effect of anaesthesia on the geometry of the pharynx, NANDI, P. R., *et al.*, (*ARS*) 384P

Airway, tracheal reflexes, Effects of i.v. lignocaine on airway reflexes elicited by irritation of the tracheal mucosa in humans anaesthetized with enflurane, NISHINO, T., *et al.* 682–687

Allergy, intradermal tests, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745

Anaesthesia and Intensive Care—Practical Procedures, 1st Edn, SONI, N., (*R*) 652–653

Anaesthesia and Malignant Disease, 1st Edn, FILSHIE, J., *et al.*, (editors), (*R*) 652

Anaesthesia and the Heart Patient, ESTAFANOUS, F. G., (editor), (*R*) 530

Anaesthesia, complications, Gas exchange during anaesthesia, HEDENSTIERNA, G. 507–514

Anaesthesia Databook. A Clinical Practice Compendium, MASON, R. A., (*R*) 762

Anaesthesia, depth, Depth and duration of skin analgesia to needle insertion after topical application of EMLA cream, BJERRING, P., *et al.* 173–177

——, Relationship between lower oesophageal contractility and type of surgical stimulation, THOMAS, D. I., *et al.* 306–310

Anaesthesia, duration, Depth and duration of skin analgesia to needle insertion after topical application of EMLA cream, BJERRING, P., *et al.* 173–177

Anaesthesia for the Compromised Heart (*Clinical Anaesthesiology International Practice and Research, Volume* 3), FOËX, P., (editor), (*R*) 652

Anaesthesia for Uncommon Diseases, 1st Edn, POLLARD, B. J., *et al.*, (*R*) 761

Anaesthesia, general, Effects of i.v. lignocaine on airway reflexes elicited by irritation of the tracheal mucosa in humans anaesthetized with enflurane, NISHINO, T., *et al.* 682–687

Anaesthesia, geriatric, Anaesthesia and outcome of surgery for fractured neck of femur, DAVIS, F. M., *et al.*, (*C*) 403–404

——, Anaesthesia and outcome of surgery for fractured neck of femur, MCKENZIE, P. J., *et al.*, (*C*) 404

Anaesthesia, neonatal, Influence of fluid regimens on perioperative blood-glucose concentrations in neonates, LARSSON, L. E., *et al.* 419–424

——, Pain management in paediatric patients, LLOYD-THOMAS, A. R. 85–104

Anaesthesia, neurosurgical, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, WHITBURN, R. H., *et al.* 642–645

Anaesthesia, obstetric, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, WHITBURN, R. H., *et al.* 642–645

——, Aspiration pneumonitis prophylaxis in obstetric anaesthesia: comparison of effervescent cimetidine–sodium citrate mixture and sodium citrate, ORMEZZANO, X., *et al.* 503–506

——, Effect of syntocinon and ergometrine on the lower oesophageal sphincter during the first trimester of pregnancy, MITCHELL, R. W. D., *et al.*, (*ARS*) 399–400P

——, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562

——, Extradural anaesthesia for Caesarean section in achondroplasia, WARDALL, G. J., *et al.* 367–370

——, Extradural opioids in labour, HERMAN, N. L., *et al.*, (*C*) 528–529

——, Extradural opioids in labour, REYNOLDS, F., (*C*) 529

——, Neonatal acid–base status after general, spinal or extradural anaesthesia for Caesarean section, RATCLIFFE, F. M., (*ARS*) 381–382P

——, Non-supine uterine aortic compression, KINSELLA, S. M., *et al.*, (*ARS*) 395P

——, Pharmacokinetics and pharmacodynamics of an equipotent fentanyl and alfentanil dose in mother and infant during Caesarean section, LEUWER, M., *et al.*, (*ARS*) 398–399P

——, Pharmacokinetics of propofol in women undergoing elective Caesarean section, GIN, T., *et al.* 148–153
——, Profound respiratory depression after extradural fentanyl, BROCKWAY, M. S., *et al.* 243–245
——, Prophylactic ephedrine infusion in obstetric anaesthesia, FRAZER, R. S., *et al.*, (*C*) 651
——, Prophylactic ephedrine infusion in obstetric anaesthesia, STONE, P. A., *et al.*, (*C*) 651
——, Serious non-fatal complications associated with extradural block in obstetric practice, SCOTT, D. B., *et al.* 537–541
——, Use of regional anaesthesia in a patient with acute porphyria, MCNEILL, M. J., *et al.* 371–373
Anaesthesia, paediatric, A urinary cysteine–halothane metabolite: validation and measurement in children, WARK, H., *et al.* 469–473
——, Assessment of a scavenging device for use in paediatric anaesthesia, SIK, M. J., *et al.* 117–123
——, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751
——, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
——, Dose requirements for propofol in children during total i.v. anaesthesia, BROWNE, B. L., *et al.*, (*ARS*) 396P
——, Double burst stimulation in children, SADDLER, J. M., *et al.*, (*ARS*) 399P
——, Halothane metabolism in children, WARK, H., *et al.* 474–481
——, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
——, Paediatric glucose homeostasis during anaesthesia, AUN, C. S. T., *et al.* 413–418
——, Pain management in paediatric patients, LLOYD-THOMAS, A. R. 85–104
——, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Anaesthesia Review 6, 1st Edn, KAUFMAN, L., (editor), (*R*) 260–261
Anaesthesia, subarachnoid, Anaesthesia and outcome of surgery for fractured neck of femur, DAVIS, F. M., *et al.*, (*C*) 403–404
——, Anaesthesia and outcome of surgery for fractured neck of femur, MCKENZIE, P. J., *et al.*, (*C*) 404
Anaesthetic and Extracorporeal Gas Transfer, DORRINGTON, K., (*R*) 760
Anaesthetic synergism, Midazolam acts synergistically with fentanyl for induction of anaesthesia, BEN-SHLOMO, I., *et al.* 45–47
Anaesthetic techniques, axillary brachial plexus block, Axillary brachial plexus block: method of choice? BROCKWAY, M. S., *et al.* 224–231
Anaesthetic techniques, caudal, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
Anaesthetic techniques, continuous intercostal nerve block, Thoracic nerve block, BERRISFORD, R. G., *et al.*, (*C*) 124
Anaesthetic techniques, extradural, An open study of ropivacaine in extradural anaesthesia, WHITEHEAD, E., *et al.* 67–71
——, Analgesia following extradural and i.m. pethidine in post-Caesarean section patients, PERRISS, B. W., *et al.* 355–357
——, Comparison of complications associated with single-holed and multi-holed extradural catheters, MORRISON, L. M. M., *et al.* 183–185
——, Enhanced thromboxane synthesis with extradural anaesthesia, KHAZAM, A., *et al.* 238–239
——, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562
——, Extradural anaesthesia for Caesarean section in achondroplasia, WARDALL, G. J., *et al.* 367–370
——, Extradurals and shivering: effects of cold and warm extradural saline injections in volunteers, PONTE, J., *et al.* 731–733
——, Neonatal acid–base status after general, spinal or extradural anaesthesia for Caesarean section, RATCLIFFE, F. M., (*ARS*) 381–382P
——, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
——, Profound respiratory depression after extradural fentanyl, BROCKWAY, M. S., *et al.* 243–245
——, Serious non-fatal complications associated with extradural block in obstetric practice, SCOTT, D. B., *et al.* 537–541
Anaesthetic techniques, hypotensive, Influence of hypotension and hypotensive technique on the area of profound reduction in cerebral blood flow during focal cerebral ischaemia in the rat, COLE, D. J., *et al.* 498–502
——, Metabolic effects of sodium nitroprusside on the pig kidney *in vivo*: studies by phosphorus-31 magnetic resonance spectroscopy, PARIVAR, F., *et al.* 710–716
Anaesthetic techniques, induction, Effect of humidification on inhalation induction with isoflurane, VAN HEERDEN, P. V., *et al.* 235–237
Anaesthetic techniques, inhalation, Effect of humidification on inhalation induction with isoflurane, VAN HEERDEN, P. V., *et al.* 235–237
Anaesthetic techniques, intercostal, Plasma concentrations of bupivacaine after intercostal nerve block in patients after orthotopic liver transplantation, BODENHAM, A., *et al.* 436–441
Anaesthetic techniques, interpleural, Effect of adrenaline on venous plasma concentrations of bupivacaine after interpleural administration, GIN, T., *et al.* 662–666
——, Pharmacokinetics of interpleural bupivacaine in patients undergoing cholecystectomy, MOGG, G. A., *et al.* 657–661
Anaesthetic techniques, i.v. infusion, Total i.v. anaesthesia with propofol–alfentanil or propofol–fentanyl, JENSTRUP, M., *et al.* 717–722
Anaesthetic techniques, laryngoscopy, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.* 327–330
Anaesthetic techniques, paravertebral block, Thoracic nerve block, BERRISFORD, R. G., *et al.*, (*C*) 124
Anaesthetic techniques, peroperative nitrous oxide, Peroperative nitrous oxide delays bowel function after colonic surgery, SCHEININ, B., *et al.* 154–158
Anaesthetic techniques, priming dose, Lower oesophageal reflux during priming with vecuronium, MARTIN, C., *et al.* 33–35
Anaesthetic techniques, regional, Analgesia following extradural and i.m. pethidine in post-Caesarean section patients, PERRISS, B. W., *et al.* 355–357
——, Local analgesia prevents the cortisol and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
——, Pharmacokinetics of interpleural bupivacaine in patients undergoing cholecystectomy, MOGG, G. A., *et al.* 657–661

——, Preoperative sedation before regional anaesthesia: comparison between zolpidem, midazolam and placebo, PRAPLAN-PAHUD, J., *et al.* 670–674
——, Use of regional anaesthesia in a patient with acute porphyria, MCNEILL, M. J., *et al.* 371–373
Anaesthetic techniques, retrobulbar, Local analgesia prevents the cortisol and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
——, Serum concentrations of prilocaine following retrobulbar, GOGGIN, M., *et al.* 107–109
Anaesthetic techniques, sedation, Additional subcutaneous administration of flumazenil does not shorten recovery time after midazolam, LUGER, T. J., *et al.* 53–58
——, Midazolam and flumazenil in the anaesthetic management of trigeminal nerve thermocoagulation, HARROP-GRIFFITHS, A. W., *et al.* 586–589
——, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
——, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
——, Sedation during spinal anaesthesia: comparison of propofol and midazolam, WILSON, E., *et al.* 48–52
Anaesthetic techniques, subarachnoid, Effect of glucose concentration on the intrathecal spread of 0.5% bupivacaine, BANNISTER, J., *et al.* 232–234
——, Influence of obesity on the spread of spinal analgesia after injection of plain 0.5% bupivacaine at the L3–4 or L4–5 interspace, TAIVAINEN, T., *et al.* 542–546
——, Neonatal acid–base status after general, spinal or extradural anaesthesia for Cacsarean section, RATCLIFFE, F. M., (*ARS*) 381–382P
——, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
——, Prophylactic ephedrine infusion in obstetric anaesthesia, FRAZER, R. S., *et al.*, (*C*) 651
——, Sedation during spinal anaesthesia: comparison of propofol and midazolam, WILSON, E., *et al.* 48–52
——, Spinal anaesthesia in young patients using a 29-gauge needle: technical considerations and an evaluation of postoperative complaints compared with general anaesthesia, DAHL, J. B., *et al.* 178–182
——, Spinal analgesia with plain 0.5% bupivacaine administered at spinal interspace L2–3 or L4–5, OLSEN, K. J., *et al.* 170–172
——, Use of regional anaesthesia in a patient with acute porphyria, MCNEILL, M. J., *et al.* 371–373
Anaesthetic techniques, thoracic nerve block, Thoracic nerve block, BERRISFORD, R. G., *et al.*, (*C*) 124
Anaesthetic techniques, topical, Depth and duration of skin analgesia to needle insertion after topical application of EMLA cream, BJERRING, P., *et al.* 173–177
——, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Anaesthetic techniques, total, Total i.v. anaesthesia with propofol–alfentanil or propofol–fentanyl, JENSTRUP, M., *et al.* 717–722
Anaesthetic techniques, transdermal, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
Anaesthetics, gases, A simple flowmeter for unusual gases, FARQUHAR, I., *et al.* 113–116
Anaesthetics gases, argon, Isolated human blood platelets discriminate between anaesthetic and non-anaesthetic gases at high pressures, MCIVER, D. J. L., *et al.* 77–84
Anaesthetics gases, nitrogen, Isolated human blood platelets discriminate between anaesthetic and non-anaesthetic gases at high pressures, MCIVER, D. J. L., *et al.* 77–84
Anaesthetics gases, nitrous oxide, Assessment of a scavenging device for use in paediatric anaesthesia, SIK, M. J., *et al.* 117–123
——, Dimethylthiourea, a hydroxyl radical scavenger, impedes the inactivation of methionine synthase by nitrous oxide in mice, KOBLIN, D. D., *et al.* 214–223
——, Formiminoglutamic acid excretion in anaesthetists, ARMSTRONG, P., *et al.*, (*ARS*) 397P
——, Neuromuscular and cardiovascular effects of mivacurium chloride (BW B1090U) during nitrous oxide–fentanyl–thiopentone and nitrous oxide–halothane anaesthesia, FROM, R. P., *et al.* 193–198
——, Peroperative nitrous oxide delays bowel function after colonic surgery, SCHEININ, B., *et al.* 154–158
——, Substitution of nitrous oxide by propofol improves posterior tibial nerve somatosensory evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.*, (*ARS*) 387P
Anaesthetics i.v., etomidate, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Peripheral vascular changes associated with the induction of anaesthesia: effect of etomidate, MCKINNEY, M. S., *et al.*, (*ARS*) 392P
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Anaesthetics i.v., morphine, Persistently increased morphine-6-glucuronide concentrations, CALLEJA, M. A., *et al.*, (*C*) 649
Anaesthetics i.v., propofol, Anticonvulsant properties of propofol and thiopentone: comparison using two tests in laboratory mice, LOWSON, S., *et al.* 59–63
——, Breathing pattern and propofol, PONTE, J., (*C*) 528
——, Cardiovascular changes in the elderly following induction of anaesthesia at various rates, PEACOCK, J. E., *et al.*, (*ARS*) 391–392P
——, Dose requirements for propofol in children during total i.v. anaesthesia, BROWNE, B. L., *et al.*, (*ARS*) 396P
——, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. 110–112
——, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. M., (*C*) 758–759
——, Exaggerated physiological responses to propofol in myotonic dystrophy, WHITE, D. A., *et al.*, (*C*) 758
——, Haemodynamic effects of propofol infusion: dose–response study in compromised canine hearts, DIEDERICKS, J., *et al.*, (*ARS*) 393P
——, Hepatic and extrahepatic disposition of propofol in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 563–570
——, Non-invasive measurement of cardiac output during tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 390–391P
——, Pharmacokinetics of propofol in women undergoing elective Caesarean section, GIN, T., *et al.* 148–153
——, Potency of propofol for loss of consciousness after a single dose, LESLIE, K., *et al.* 734–736
——, Propofol-induced seizure-like behaviour in mice, SMITH, M. B., *et al.*, (*ARS*) 396–397P
——, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
——, Sedation during spinal anaesthesia: comparison of propofol and midazolam, WILSON, E., *et al.* 48–52

——, Study of the possible interaction between fentanyl and propofol using a computer-controlled infusion of propofol, DIXON, J., *et al.* 142–147
——, Substitution of nitrous oxide by propofol improves posterior tibial nerve somatosensory evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.*, (*ARS*) 387P
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
——, Total i.v. anaesthesia with propofol–alfentanil or propofol–fentanyl, JENSTRUP, M., *et al.* 717–722
Anaesthetics i.v., thiopentone, Anticonvulsant properties of propofol and thiopentone: comparison using two tests in laboratory mice, LOWSON, S., *et al.* 59–63
——, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Neuromuscular and cardiovascular effects of mivacurium chloride (BW B1090U) during nitrous oxide–fentanyl–thiopentone and nitrous oxide–halothane anaesthesia, FROM, R. P., *et al.* 193–198
——, Non-invasive measurement of cardiac output during tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 390–391P
——, Non-invasive measurements of minute-by-minute changes in cardiovascular variables during induction of anaesthesia, SANDERS, D. J., *et al.*, (*ARS*) 389–390P
——, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Anaesthetics local, bupivacaine, Double-blind comparison of extradural bupivacaine and ropivacaine, BROCKWAY, M., *et al.*, (*ARS*) 388P
——, Effect of adrenaline on venous plasma concentrations of bupivacaine after interpleural administration, GIN, T., *et al.* 662–666
——, Effect of glucose concentration on the intrathecal spread of 0.5% bupivacaine, BANNISTER, J., *et al.* 232–234
——, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562
——, Influence of obesity on the spread of spinal analgesia after injection of plain 0.5% bupivacaine at the L3–4 or L4–5 interspace, TAIVAINEN, T., *et al.* 542–546
——, Pharmacokinetics of interpleural bupivacaine in patients undergoing cholecystectomy, MOGG, G. A., *et al.* 657–661
——, Plasma concentrations of bupivacaine after intercostal nerve block in patients after orthotopic liver transplantation, BODENHAM, A., *et al.* 436–441
——, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
——, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
——, Spinal analgesia with plain 0.5% bupivacaine administered at spinal interspace L2–3 or L4–5, OLSEN, K. J., *et al.* 170–172
——, Thoracic nerve block, BERRISFORD, R. G., *et al.*, (*C*) 124
——, Use of regional anaesthesia in a patient with acute porphyria, MCNEILL, M. J., *et al.* 371–373
Anaesthetics local, bupivacaine–fentanyl, Extradural opioids in labour, HERMAN, N. L., *et al.*, (*C*) 528–529
——, Extradural opioids in labour, REYNOLDS, F., (*C*) 529
Anaesthetics local, bupivacaine–sufentanil, Extradural opioids in labour, HERMAN, N. L., *et al.*, (*C*) 528–529
——, Extradural opioids in labour, REYNOLDS, F., (*C*) 529
Anaesthetics local, EMLA, Complications of the use of EMLA, NORMAN, J., *et al.*, (*C*) 403
——, Depth and duration of skin analgesia to needle insertion after topical application of EMLA cream, BJERRING, P., *et al.* 173–177
——, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Anaesthetics local, lignocaine, Complications of the use of EMLA, NORMAN, J., *et al.*, (*C*) 403
——, Effects of i.v. lignocaine on airway reflexes elicited by irritation of the tracheal mucosa in humans anaesthetized with enflurane, NISHINO, T., *et al.* 682–687
——, Effects of nebulized lignocaine on the intraocular pressure responses to tracheal intubation, MOSTAFA, S. M., *et al.* 515–517
——, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Anaesthetics local, lignocaine–prilocaine, Depth and duration of skin analgesia to needle insertion after topical application of EMLA cream, BJERRING, P., *et al.* 173–177
Anaesthetics local, plasma concentration, Plasma concentrations of bupivacaine after intercostal nerve block in patients after orthotopic liver transplantation, BODENHAM, A., *et al.* 436–441
Anaesthetics local, prilocaine, Complications of the use of EMLA, NORMAN, J., *et al.*, (*C*) 403
——, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
——, Serum concentrations of prilocaine following retrobulbar, GOGGIN, M., *et al.* 107–109
Anaesthetics local, ropivacaine, An open study of ropivacaine in extradural anaesthesia, WHITEHEAD, E., *et al.* 67–71
——, Double-blind comparison of extradural bupivacaine and ropivacaine, BROCKWAY, M., *et al.*, (*ARS*) 388P
Anaesthetics opioid, fentanyl, Neuromuscular and cardiovascular effects of mivacurium chloride (BW B1090U) during nitrous oxide–fentanyl–thiopentone and nitrous oxide–halothane anaesthesia, FROM, R. P., *et al.* 193–198
Anaesthetics volatile, desflurane, Biotransformation and hepato–renal function in volunteers after exposure to desflurane (I-653), JONES, R. M., *et al.* 482–487
——, Clinical impressions and cardiorespiratory effects of a new fluorinated inhalation anaesthetic, desflurane (I-653), in volunteers, JONES, R. M., *et al.* 11–15
——, Quest for the ideal inhalation anaesthetic agent, HEIJKE, S., *et al.*, (*E*) 3–6
Anaesthetics volatile, enflurane, Edrophonium antagonism of atracurium during enflurane anaesthesia, GILL, S. S., *et al.* 300–305
——, Effects of enflurane on visual evoked potentials in humans, CHI, O. Z., *et al.* 163–166
——, Effects of i.v. lignocaine on airway reflexes elicited by irritation of the tracheal mucosa in humans anaesthetized with enflurane, NISHINO, T., *et al.* 682–687
——, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
Anaesthetics volatile, halothane, A urinary cysteine–halothane metabolite: validation and measurement in children, WARK, H., *et al.* 469–473

——, Cerebrospinal fluid concentrations of laudanosine after administration of atracurium, FAHEY, M. R., *et al.* 105–106
——, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
——, Clinical concentrations of verapamil affect the *in vitro* diagnosis of susceptibility to malignant hyperpyrexia, ADNET, P. J., *et al.* 64–66
——, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
——, Effect of halothane and inspired oxygen concentration on liver protein synthesis, FERGUSON, K., *et al.*, (*ARS*) 379P
——, End-tidal concentrations of halothane and isoflurane during induction of anaesthesia in young and elderly patients, DWYER, R., *et al.* 36–41
——, Halothane hepatitis: a case report, SPEEDY, H. 358–362
——, Halothane metabolism in children, WARK, H., *et al.* 474–481
——, Inhalation anaesthetics and invertebrates, CRANKSHAW, D. P., (*C*) 649
——, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
——, Isoflurane but not halothane stimulates neutrophil chemotaxis, ERSKINE, R., *et al.* 723–727
——, Neuromuscular and cardiovascular effects of mivacurium chloride (BW B1090U) during nitrous oxide–fentanyl–thiopentone and nitrous oxide–halothane anaesthesia, FROM, R. P., *et al.* 193–198
——, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
Anaesthetics volatile, isoflurane, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
——, Effect of humidification on inhalation induction with isoflurane, VAN HEERDEN, P. V., *et al.* 235–237
——, End-tidal concentrations of halothane and isoflurane during induction of anaesthesia in young and elderly patients, DWYER, R., *et al.* 36–41
——, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
——, Isoflurane but not halothane stimulates neutrophil chemotaxis, ERSKINE, R., *et al.* 723–727
——, Isoflurane sedation for patients undergoing mechanical ventilation: metabolism to inorganic fluoride and renal effects, KONG, K. L., *et al.* 159–162
——, Memory function after i.v. midazolam or inhalation of isoflurane for sedation during dental surgery, HO, E. T. F., *et al.* 337–340
——, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
Anaesthetic–opioid combinations, Extradural opioids in labour, HERMAN, N. L., *et al.*, (*C*) 528–529
——, Extradural opioids in labour, REYNOLDS, F., (*C*) 529
Anaesthetists, risks, Formiminoglutamic acid excretion in anaesthetists, ARMSTRONG, P., *et al.*, (*ARS*) 397P
Analeptics, caffeine, Clinical concentrations of verapamil affect the *in vitro* diagnosis of susceptibility to malignant hyperpyrexia, ADNET, P. J., *et al.* 64–66
Analeptics, doxapram, Doxapram and the neuromuscular junction, FAUVEL, N. J., *et al.*, (*C*) 256–257
Analgesia, balanced, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
Analgesia, morphine–bupivacaine combination, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
Analgesia, obstetric, Analgesia following extradural and i.m. pethidine in post-Caesarean section patients, PERRISS, B. W., *et al.* 355–357
Analgesia, patient-augmented, PCA or PAA? ARMITAGE, E. N., (*C*) 651
——, PCA or PAA? OWEN, H., *et al.*, (*C*) 650–651
Analgesia, patient-controlled, Effect of psychological variables and pain relief system on postoperative pain experience, THOMAS, V. J., *et al.*, (*ARS*) 388–389P
——, Patient controlled analgesia with alfentanil: analgesic blood concentrations in the postoperative period, CURRIE, J., *et al.*, (*ARS*) 387P
——, PCA or PAA? ARMITAGE, E. N., (*C*) 651
——, PCA or PAA? OWEN, H., *et al.*, (*C*) 650–651
——, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
Analgesia, postoperative, Analgesic efficacy of perioperative buccal morphine, MANARA, A. R., *et al.* 551–555
——, Effect of adrenaline on venous plasma concentrations of bupivacaine after interpleural administration, GIN, T., *et al.* 662–666
——, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
Analgesia, spinal cord, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
Analgesic requirement, postoperative, Comparison of the respiratory effects of i.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.* 446–449
——, Patient controlled analgesia with alfentanil: analgesic blood concentrations in the postoperative period, CURRIE, J., *et al.*, (*ARS*) 387P
Analgesic techniques, buccal, Analgesic efficacy of perioperative buccal morphine, MANARA, A. R., *et al.* 551–555
Analgesic techniques, extradural, Comparison of the respiratory effects of i.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.* 446–449
——, Double-blind comparison of extradural bupivacaine and ropivacaine, BROCKWAY, M., *et al.*, (*ARS*) 388P
——, Extradural opioids in labour, HERMAN, N. L., *et al.*, (*C*) 528–529
——, Extradural opioids in labour, REYNOLDS, F., (*C*) 529
——, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
——, Prophylactic ephedrine infusion in obstetric anaesthesia, STONE, P. A., *et al.*, (*C*) 651
Analgesic techniques, i.m., Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
Analgesic techniques, intrathecal, Analgesic efficacy and CSF pharmacokinetics of intrathecal morphine-6-glucuronide: comparison with morphine, HANNA, M. H., *et al.* 547–550
Analgesics non-opioid, codeine–paracetamol, Analgesic side effects and minor surgery: which

analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620
Analgesics non-opioid, ketorolac, Comparison of i.m. ketorolac tromethamine and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.*, (*ARS*) 395–396P
Analgesics non-opioid, piroxicam, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
Analgesics non-steroidal, ibuprofen, Analgesic side effects and minor surgery: which analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620
Analgesics opioid, alfentanil, Haemodynamic variables during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 389P
——, I.v. alfentanil analgesia for physiotherapy following rib fractures, RAVALIA, A., *et al.* 746–748
——, Patient controlled analgesia with alfentanil: analgesic blood concentrations in the postoperative period, CURRIE, J., *et al.*, (*ARS*) 387P
——, Pharmacokinetics and pharmacodynamics of an equipotent fentanyl and alfentanil dose in mother and infant during Caesarean section, LEUWER, M., *et al.*, (*ARS*) 398–399P
——, Substitution of nitrous oxide by propofol improves posterior tibial nerve somatosensory evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.*, (*ARS*) 387P
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
——, Total i.v. anaesthesia with propofol–alfentanil or propofol–fentanyl, JENSTRUP, M., *et al.* 717–722
——, Use of alfentanil in a patient receiving monoamine oxidase inhibitor therapy, POWELL, H., (*C*) 528
Analgesics opioid, buprenorphine, Buprenorphine disposition in patients with renal impairment: single and continuous dosing, with special reference to metabolites, HAND, C. W., *et al.* 276–282
Analgesics opioid, diamorphine, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
Analgesics opioid, fentanyl, Midazolam acts synergistically with fentanyl for induction of anaesthesia, BEN-SHLOMO, I., *et al.* 45–47
——, Pharmacokinetics and pharmacodynamics of an equipotent fentanyl and alfentanil dose in mother and infant during Caesarean section, LEUWER, M., *et al.*, (*ARS*) 398–399P
——, Profound respiratory depression after extradural fentanyl, BROCKWAY, M. S., *et al.* 243–245
——, Study of the possible interaction between fentanyl and propofol using a computer-controlled infusion of propofol, DIXON, J., *et al.* 142–147
——, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
——, Total i.v. anaesthesia with propofol–alfentanil or propofol–fentanyl, JENSTRUP, M., *et al.* 717–722
Analgesics opioid, morphine, Analgesic efficacy and CSF pharmacokinetics of intrathecal morphine-6-glucuronide: comparison with morphine, HANNA, M. H., *et al.* 547–550
——, Analgesic efficacy of perioperative buccal morphine, MANARA, A. R., *et al.* 551–555
——, Comparison of i.m. ketorolac tromethamine and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.*, (*ARS*) 395–396P
——, Comparison of the respiratory effects of i.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.* 446–449
——, Effect of i.v. metoclopramide on gastric emptying after opioid premedication, MCNEILL, M. J., *et al.* 450–452
——, Pharmacokinetics of buccal morphine, CALVEY, T. N., *et al.*, (*C*) 256
——, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
——, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
——, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
Analgesics opioid, morphine-6-glucuronide, Analgesic efficacy and CSF pharmacokinetics of intrathecal morphine-6-glucuronide: comparison with morphine, HANNA, M. H., *et al.* 547–550
Analgesics opioid, papaveretum, Effect of psychological variables and pain relief system on postoperative pain experience, THOMAS, V. J., *et al.*, (*ARS*) 388–389P
Analgesics opioid, pethidine, Analgesia following extradural and i.m. pethidine in post-Caesarean section patients, PERRISS, B. W., *et al.* 355–357
——, Analgesic efficacy of perioperative buccal morphine, MANARA, A. R., *et al.* 551–555
Analgesics opioid, sufentanil, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Anatomy, axillary brachial plexus, Axillary brachial plexus block: method of choice? BROCKWAY, M. S., *et al.* 224–231
Anatomy, pharynx, Effect of anaesthesia on the geometry of the pharynx, NANDI, P. R., *et al.*, (*ARS*) 384P
Antacids, cimetidine, Aspiration pneumonitis prophylaxis in obstetric anaesthesia: comparison of effervescent cimetidine–sodium citrate mixture and sodium citrate, ORMEZZANO, X., *et al.* 503–506
——, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
Antacids, metoclopramide, Effect of i.v. metoclopramide on gastric emptying after opioid premedication, MCNEILL, M. J., *et al.* 450–452
Antagonists benzodiazepine, flumazenil, Additional subcutaneous administration of flumazenil does not shorten recovery time after midazolam, LUGER, T. J., *et al.* 53–58
——, Midazolam and flumazenil in the anaesthetic management of trigeminal nerve thermocoagulation, HARROP-GRIFFITHS, A. W., *et al.* 586–589
——, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
Antagonists neuromuscular block, 3.4 diaminopyridine, The myasthenic syndrome: anaesthesia in a patient treated with 3.4 diaminopyridine, TELFORD, R. J., *et al.* 363–366
Antagonists neuromuscular block, anticholinesterase, The myasthenic syndrome: anaesthesia in a patient treated with 3.4 diaminopyridine, TELFORD, R. J., *et al.* 363–366
Antagonists neuromuscular block, edrophonium, Edrophonium antagonism of atracurium during enflurane anaesthesia, GILL, S. S., *et al.* 300–305
——, Influence of block density on the reversal characteristics of doxacurium, CASHMAN, J. N., *et al.*, (*ARS*) 385P
——, Neuromuscular block with doxacurium (BW A938U) in patients with normal or absent renal function, CASHMAN, J. N., *et al.* 186–192
Antagonists neuromuscular block, neostigmine, Influence of block density on the reversal characteristics of doxacurium, CASHMAN, J. N., *et al.*, (*ARS*) 385P

——, Neuromuscular block with doxacurium (BW A938U) in patients with normal or absent renal function, CASHMAN, J. N., *et al.* 186–192
Antagonists opioid, naloxone, Haemodynamic variables during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 389P
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Anticonvulsants, Anticonvulsant properties of propofol and thiopentone: comparison using two tests in laboratory mice, LOWSON, S., *et al.* 59–63
Antiemetic, hyoscine, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
——, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
Arterial pressure, drug effects, Effect of nicardipine on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 240–242
Arterial pressure, hypertension, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Arterial pressure, hypotension, Influence of hypotension and hypotensive technique on the area of profound reduction in cerebral blood flow during focal cerebral ischaemia in the rat, COLE, D. J., *et al.* 498–502
——, Prophylactic ephedrine infusion in obstetric anaesthesia, FRAZER, R. S., *et al.*, (*C*) 651
——, Prophylactic ephedrine infusion in obstetric anaesthesia, STONE, P. A., *et al.*, (*C*) 651
Arterial pressure, nicardipine, Effect of nicardipine on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 240–242
Arterial pressure, peripheral vascular resistance, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Enhanced thromboxane synthesis with extradural anaesthesia, KHAZAM, A., *et al.* 238–239
Arterial pressure, vasoconstriction, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Ataractics, MAO inhibitors, Use of alfentanil in a patient receiving monoamine oxidase inhibitor therapy, POWELL, H., (*C*) 528
Audit, examinations F.C.Anaes. F.F.A.R.C.S., Comparison of candidates who passed or failed the final (Part Three) examination for the F.F.A.R.C.S.(ENG.) in 1988, DAVID, A. C., *et al.* 752–757

Basics of Anesthesia, 2nd Edn, STOELTING, R. K., *et al.*, (*R*) 258
Biotransformation (drug), buprenorphine, Buprenorphine disposition in patients with renal impairment: single and continuous dosing, with special reference to metabolites, HAND, C. W., *et al.* 276–282
Biotransformation (drug), cyanide, Decay of nitroprusside. II: *In vivo*, VESEY, C. J., *et al.* 704–709
Biotransformation (drug), fluorometabolites, A urinary cysteine–halothane metabolite: validation and measurement in children, WARK, H., *et al.* 469–473
——, Biotransformation and hepato–renal function in volunteers after exposure to desflurane (I-653), JONES, R. M., *et al.* 482–487
Biotransformation (drug), halothane, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Halothane metabolism in children, WARK, H., *et al.* 474–481
Blood, chemotaxis, Isoflurane but not halothane stimulates neutrophil chemotaxis, ERSKINE, R., *et al.* 723–727
Blood, glucose, Glucose utilization and the thermogenic effect of infused glucose in critical illness, O'SULLIVAN, E., *et al.*, (*ARS*) 380–381P
——, Influence of fluid regimens on perioperative blood-glucose concentrations in neonates, LARSSON, L. E., *et al.* 419–424
——, Paediatric glucose homeostasis during anaesthesia, AUN, C. S. T., *et al.* 413–418
——, Why are children starved? MILLER, D. C., (*E*) 409–410
Blood, haemodialysis, Continuous arteriovenous haemodialysis in the Intensive Therapy Unit, JONES, G. W., (*E*) 655–656
Blood, hypervolaemic haemodilution, Hypervolaemic haemodilution in an anaemic Jehovah's Witness, TROUWBORST, A., *et al.* 646–648
Blood, leucocytes, Isoflurane but not halothane stimulates neutrophil chemotaxis, ERSKINE, R., *et al.* 723–727
Blood, neutrophils, Isoflurane but not halothane stimulates neutrophil chemotaxis, ERSKINE, R., *et al.* 723–727
Book Reviews
Accidental Hypothermia and Near Drowning, 1st Edn, GALLANDAT HUET, R. C. G., *et al.*, (editors), (*R*) 760
Advances in Pain Research and Therapy, Vol. II, 1st Edn, STRATTON HILL, C. JR, *et al.*, (editors), (*R*) 533
Anaesthesia and Intensive Care—Practical Procedures, 1st Edn, SONI, N., (*R*) 652–653
Anaesthesia and Malignant Disease, 1st Edn, FILSHIE, J., *et al.*, (editors), (*R*) 652
Anaesthesia and the Heart Patient, ESTAFANOUS, F. G., (editor), (*R*) 530
Anaesthesia Databook. A Clinical Practice Compendium, MASON, R. A., (*R*) 762
Anaesthesia for the Compromised Heart (Clinical Anaesthesiology International Practice and Research, Volume 3), FOËX, P., (editor), (*R*) 652
Anaesthesia for Uncommon Diseases, 1st Edn, POLLARD, B. J., *et al.*, (*R*) 761
Anaesthesia Review 6, 1st Edn, KAUFMAN, L., (editor), (*R*) 260–261
Anaesthetic and Extracorporeal Gas Transfer, DORRINGTON, K., (*R*) 760
Basics of Anesthesia, 2nd Edn, STOELTING, R. K., *et al.*, (*R*) 258
Capnography in Clinical Practice, GRAVENSTEIN, J. S., *et al.*, (*R*) 127
Cardiac Arrhythmias, 3rd Edn, BENNETT, D. H., (*R*) 530
Cardiopulmonary Bypass: Current Concepts and Controversies, TINKER, J. H., (*R*) 128
Clinical Anaesthesiology No. 22: Some Aspects of Anaesthetic Safety, DINNICK, O. P., *et al.*, (editors), (*R*) 407
Clinical and Resuscitative Data, 4th Edn, DUNHILL, R. P. H., *et al.*, (*R*) 260
Clinical Problems in Acute Care Medicine, 1st Edn, HEFFERNAN, J. J., *et al.*, (editors), (*R*) 259–260
Clinical Respiratory Physiology, 1st Edn, TAYLOR, A. E., *et al.*, (*R*) 760–761
Day Care Surgery, Anaesthesia and Management, 1st Edn, BRADSHAW, E. G., *et al.*, (editors), (*R*) 761–762
Depth of Anaesthesia. Baillière's Clinical Anaesthesiology, Vol. 3, No. 3, JONES, J. G., (editor), (*R*) 761
Essentials of Critical Care Medicine, TOBIN, M. J., (*R*) 532

Lectures in Anaesthesiology/2, 1st Edn, ZORAB, J. S. M., *et al.*, (editors), (*R*) 128
Local Anaesthesia and Regional Blockade Physiology, Pharmacology, Clinical Effects. Monographs in Anaesthesiology, Volume 15, LOFSTROM, J. B., *et al.*, (editors), (*R*) 532–533
Malignant Hyperthermia: Current Concepts, FELIPE, M., *et al.*, (editors), (*R*) 531
Manual of Intensive Care Medicine, 2nd Edn, RIPPE, J. M., (editor), (*R*) 259
Medicine for Anaesthetists, 3rd Edn, VICKERS, M. D., *et al.*, (editors), (*R*) 261
Medicine in the Practice of Anaesthesia, KAUFMAN, L., *et al.*, (editors), (*R*) 127
Pediatric Anesthesia, Vols 1 & 2, GREGORY, G. A., (editor), (*R*) 762
Repairing Body Fluids—Principles and Practice, KASSIRER, J. P., *et al.*, (*R*) 258–259
Resuscitation of the Newborn. Part I: Basic Resuscitation. Part II: Advanced Resuscitation, 1st Edn, A Working Party of the British Paediatric Association, the College of Anaesthetists, the Royal College of Midwives and the Royal College of Obstetricians and Gynaecologists, (editors), (*R*) 407
Safety and Cost Containment in Anaesthesia, GRAVENSTEIN, J. S., *et al.*, (editors), (*R*) 531–532
Statistics with Confidence—Confidence Intervals and Statistical Guide-lines, GARDNER, M. J., *et al.*, (*R*) 260
Technical Manual of Anesthesiology: An Introduction, 1st Edn, HEAVNER, J. E., *et al.*, (*R*) 258
The History of Anaesthesia. (International Congress and Symposium Series No. 134), ATKINSON, R. S., *et al.*, (editors), (*R*) 531

Brain, blood flow, Influence of hypotension and hypotensive technique on the area of profound reduction in cerebral blood flow during focal cerebral ischaemia in the rat, COLE, D. J., *et al.* 498–502

Brain, central monoamines, Alterations of "sleeping time" in the rat induced by drugs which modulate central monoaminergic systems, ANGEL, A., *et al.* 594–600

Brain, cerebrospinal fluid, Cerebrospinal fluid concentrations of laudanosine after administration of atracurium, FAHEY, M. R., *et al.* 105–106

Brain, convulsions, Propofol-induced seizure-like behaviour in mice, SMITH, M. B., *et al.*, (*ARS*) 396–397P

Brain, evoked potentials, Effects of midazolam on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 590–593

Brain, focal ischaemia, Influence of hypotension and hypotensive technique on the area of profound reduction in cerebral blood flow during focal cerebral ischaemia in the rat, COLE, D. J., *et al.* 498–502

Brain, GABA, Actions of microiontophoretically applied GABA and midazolam in ferret spinal cord, BENTLEY, G. N., *et al.*, (*ARS*) 400P

Brain, visual evoked potentials, Effects of enflurane on visual evoked potentials in humans, CHI, O. Z., *et al.* 163–166

British Journal of Anaesthesia, Journal of the College of Anaesthetists, SMITH, G., (*E*) 1–2

Calcium channel block, diltiazem, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605

Calcium channel block, nicardipine, Effect of nicardipine on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 240–242

Calcium channel block, nifedipine, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605

Calcium channel block, verapamil, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605

Cannula location, Misplacement of subclavian venous catheters: importance of head position and choice of puncture site, SANCHEZ, R., *et al.* 632–633

Capnography in Clinical Practice, GRAVENSTEIN, J. S., *et al.*, (*R*) 127

Carbon dioxide, rebreathing, A pseudo-rebreathing technique for the ventilatory sensitivity to carbon dioxide in man, DAHAN, A., *et al.*, (*ARS*) 401P

Carbon dioxide, ventilatory response, A pseudo-rebreathing technique for the ventilatory sensitivity to carbon dioxide in man, DAHAN, A., *et al.*, (*ARS*) 401P

Cardiac Arrhythmias, 3rd Edn, BENNETT, D. H., (*R*) 530

Cardiopulmonary Bypass: Current Concepts and Controversies, TINKER, J. H., (*R*) 128

Cardiovascular system, effects, Clinical impressions and cardiorespiratory effects of a new fluorinated inhalation anaesthetic, desflurane (I-653), in volunteers, JONES, R. M., *et al.* 11–15

——, Haemodynamic variables during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 389P

——, Neuromuscular and cardiovascular effects of mivacurium chloride (BW B1090U) during nitrous oxide–fentanyl–thiopentone and nitrous oxide–halothane anaesthesia, FROM, R. P., *et al.* 193–198

——, Non-invasive measurements of minute-by-minute changes in cardiovascular variables during induction of anaesthesia, SANDERS, D. J., *et al.*, (*ARS*) 389–390P

Cardiovascular system, response, Effect of nicardipine on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 240–242

Cat, Effect of ionized calcium on the neuromuscular blocking actions of atracurium and vecuronium in the cat, GRAMSTAD, L., *et al.* 199–206

Children, A urinary cysteine–halothane metabolite: validation and measurement in children, WARK, H., *et al.* 469–473

——, Assessment of a scavenging device for use in paediatric anaesthesia, SIK, M. J., *et al.* 117–123

——, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751

——, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27

——, Dose requirements for propofol in children during total i.v. anaesthesia, BROWNE, B. L., *et al.*, (*ARS*) 396P

——, Double burst stimulation in children, SADDLER, J. M., *et al.*, (*ARS*) 399P

——, Halothane metabolism in children, WARK, H., *et al.* 474–481

——, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76

——, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169

——, Paediatric glucose homeostasis during anaesthesia, AUN, C. S. T., *et al.* 413–418

——, Pain management in paediatric patients, LLOYD-THOMAS, A. R. 85–104

——, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435

——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
——, Why are children starved? MILLER, D. C., (*E*) 409–410
Clinical Anaesthesiology No. 22: Some Aspects of Anaesthetic Safety, DINNICK, O. P., *et al.*, (editors), (*R*) 407
Clinical and Resuscitative Data, 4th Edn, DUNHILL, R. P. H., *et al.*, (*R*) 260
Clinical Problems in Acute Care Medicine, 1st Edn, HEFFERNAN, J. J., *et al.*, (editors), (*R*) 259–260
Clinical Respiratory Physiology, 1st Edn, TAYLOR, A. E., *et al.*, (*R*) 760–761
Clinical trial, Clinical impressions and cardiorespiratory effects of a new fluorinated inhalation anaesthetic, desflurane (I-653), in volunteers, JONES, R. M., *et al.* 11–15
College of Anaesthetists, Journal of the College of Anaesthetists, SMITH, G., (*E*) 1–2
Complications, Serious non-fatal complications associated with extradural block in obstetric practice, SCOTT, D. B., *et al.* 537–541
Complications, accidents, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751
Complications, achondroplasia, Extradural anaesthesia for Caesarean section in achondroplasia, WARDALL, G. J., *et al.* 367–370
Complications, acid reflux, Lower oesophageal reflux during priming with vecuronium, MARTIN, C., *et al.* 33–35
Complications, acidosis, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751
Complications, airway obstruction, Upper airway obstruction by the soft palate: influence of position of head, jaw and neck, GALLOWAY, D. W., (*ARS*) 383–384P
Complications, anaemia, Hypervolaemic haemodilution in an anaemic Jehovah's Witness, TROUWBORST, A., *et al.* 646–648
——, Silent myocardial ischaemia in a patient with anaemia before operation, PARSLOE, M. R. J., *et al.* 634–637
Complications, anaphylaxis, Anaphylactoid reaction to vecuronium, TREUREN, B. C., *et al.*, (*C*) 125–126
——, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Complications, anoxia, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751
Complications, apnoea, Comparison of the respiratory effects of i.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.* 446–449
Complications, arteriovenous malformation, Postoperative paraplegia in a patient with an unsuspected dural arteriovenous malformation, WOODALL, N., *et al.* 638–641
Complications, aspiration, Aspiration pneumonitis prophylaxis in obstetric anaesthesia: comparison of effervescent cimetidine–sodium citrate mixture and sodium citrate, ORMEZZANO, X., *et al.* 503–506
Complications, atelectasis, Gas exchange during anaesthesia, HEDENSTIERNA, G. 507–514
Complications, backache, Spinal anaesthesia in young patients using a 29-gauge needle: technical considerations and an evaluation of postoperative complaints compared with general anaesthesia, DAHL, J. B., *et al.* 178–182
Complications, barotrauma, Two cases of barotrauma associated with transtracheal jet ventilation, CRAFT, T. M., *et al.* 524–527
Complications, breath-holding, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
Complications, cardiac arrest, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751
Complications, catheter misplacement, Misplacement of subclavian venous catheters: importance of head position and choice of puncture site, SANCHEZ, R., *et al.* 632–633
Complications, chest infection, I.v. alfentanil analgesia for physiotherapy following rib fractures, RAVALIA, A., *et al.* 746–748
Complications, common cold, Anaesthesia and upper respiratory tract infections—a non-existent hazard? FENNELLY, M. E., *et al.*, (*E*) 535–536
Complications, convulsions, Propofol-induced seizure-like behaviour in mice, SMITH, M. B., *et al.*, (*ARS*) 396–397P
Complications, EMLA leakage, Complications of the use of EMLA, NORMAN, J., *et al.*, (*C*) 403
Complications, fibrodysplasia ossificans progressiva, Fibrodysplasia ossificans progressiva, NEWTON, M. C., *et al.* 246–250
Complications, head injury, Validation of the Oximetrics 3 for continuous monitoring of jugular bulb oxygen saturation after severe head injury: comparison with IL282 *In Vitro* Co-oximeter, ANDREWS, P. J. D., *et al.*, (*ARS*) 393–394P
Complications, headache, Spinal anaesthesia in young patients using a 29-gauge needle: technical considerations and an evaluation of postoperative complaints compared with general anaesthesia, DAHL, J. B., *et al.* 178–182
Complications, hepatic, Halothane hepatitis: a case report, SPEEDY, H. 358–362
Complications, histamine release, Side effects of atracurium, MIRAKHUR, R. K., (*C*) 124–125
Complications, hypoventilation, Effect of dantrolene on ventilation and respiratory muscle activity in anaesthetized dogs, OLIVEN, A., *et al.* 207–213
——, Profound respiratory depression after extradural fentanyl, BROCKWAY, M. S., *et al.* 243–245
Complications, hypoxia, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
Complications, Jehovah's Witness, Hypervolaemic haemodilution in an anaemic Jehovah's Witness, TROUWBORST, A., *et al.* 646–648
Complications, laryngospasm, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
Complications, malignant hyperthermia, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
Complications, masseter spasm, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
——, Masseteric muscle spasm as a normal response to suxamethonium, LEARY, N. P., *et al.* 488–492
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Complications, methaemoglobinaemia, Inverse relationship between age-dependent erythrocyte activity

of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Complications, myasthenic syndrome, The myasthenic syndrome: anaesthesia in a patient treated with 3.4 diaminopyridine, TELFORD, R. J., *et al.* 363–366
Complications, myotonic dystrophy, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. 110–112
——, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. M., (*C*) 758–759
——, Exaggerated physiological responses to propofol in myotonic dystrophy, WHITE, D. A., *et al.*, (*C*) 758
Complications, obesity, Influence of obesity on the spread of spinal analgesia after injection of plain 0.5% bupivacaine at the L3–4 or L4–5 interspace, TAIVAINEN, T., *et al.* 542–546
Complications, obstructive airways disease, Thoracic nerve block, BERRISFORD, R. G., *et al.*, (*C*) 124
Complications, paraparesis, Postoperative paraplegia in a patient with an unsuspected dural arteriovenous malformation, WOODALL, N., *et al.* 638–641
Complications, paraplegia, Postoperative paraplegia in a patient with an unsuspected dural arteriovenous malformation, WOODALL, N., *et al.* 638–641
Complications, pharyngeal obstruction, Effect of anaesthesia on the geometry of the pharynx, NANDI, P. R., *et al.*, (*ARS*) 384P
Complications, porphyria, Use of regional anaesthesia in a patient with acute porphyria, MCNEILL, M. J., *et al.* 371–373
Complications, renal adenosine triphosphate, Metabolic effects of sodium nitroprusside on the pig kidney *in vivo*: studies by phosphorus-31 magnetic resonance spectroscopy, PARIVAR, F., *et al.* 710–716
Complications, respiratory depression, Profound respiratory depression after extradural fentanyl, BROCKWAY, M. S., *et al.* 243–245
Complications, sepsis, Effects of *E. coli* lipopolysaccharide on neuromuscular transmission, HOPKINS, P. M., *et al.*, (*ARS*) 380P
Complications, shivering, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. M., (*C*) 758–759
——, Exaggerated physiological responses to propofol in myotonic dystrophy, WHITE, D. A., *et al.*, (*C*) 758
——, Extradurals and shivering: effects of cold and warm extradural saline injections in volunteers, PONTE, J., *et al.* 731–733
Complications, side effects, Side effects of atracurium, MIRAKHUR, R. K., (*C*) 124–125
Complications, stenosis, Haemodynamic effects of propofol infusion: dose–response study in compromised canine hearts, DIEDERICKS, J., *et al.*, (*ARS*) 393P
Complications, trauma, Improving the management of major trauma, CLARK, C., (*E*) 139
Complications, upper respiratory tract infections, Anaesthesia and upper respiratory tract infections—a non-existent hazard? FENNELLY, M. E., *et al.*, (*E*) 535–536
Complications, venous admixture, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Computers, model, Prediction of infusion rates: computer study, HARRISON, M. J. 283–286
——, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Correction, Incorrect attribution, BRITT, A., (*C*) 257

Day Care Surgery, Anaesthesia and Management, 1st Edn, BRADSHAW, E. G., *et al.*, (editors), (*R*) 761–762
Depth of Anaesthesia. Baillière's Clinical Anaesthesiology, Vol. 3, No. 3, JONES, J. G., (editor), (*R*) 761
Dimethylthiourea, Dimethylthiourea, a hydroxyl radical scavenger, impedes the inactivation of methionine synthase by nitrous oxide in mice, KOBLIN, D. D., *et al.* 214–223
Diuretics, frusemide, Comparison of frusemide and mannitol for diuresis after prostatectomy, CROWLEY, K., *et al.*, (*ARS*) 381P
Diuretics, mannitol, Comparison of frusemide and mannitol for diuresis after prostatectomy, CROWLEY, K., *et al.*, (*ARS*) 381P
Dog, Effect of dantrolene on ventilation and respiratory muscle activity in anaesthetized dogs, OLIVEN, A., *et al.* 207–213
——, Haemodynamic effects of propofol infusion: dose–response study in compromised canine hearts, DIEDERICKS, J., *et al.*, (*ARS*) 393P
——, Inhalation anaesthetics and invertebrates, CRANKSHAW, D. P., (*C*) 649
Dose, Dose requirements for propofol in children during total i.v. anaesthesia, BROWNE, B. L., *et al.*, (*ARS*) 396P
Drug delivery, End-tidal concentrations of halothane and isoflurane during induction of anaesthesia in young and elderly patients, DWYER, R., *et al.* 36–41
——, PCA or PAA? ARMITAGE, E. N., (*C*) 651
——, PCA or PAA? OWEN, H., *et al.*, (*C*) 650–651
Drug delivery, buccal, Analgesic efficacy of perioperative buccal morphine, MANARA, A. R., *et al.* 551–555
——, Pharmacokinetics of buccal morphine, CALVEY, T. N., *et al.*, (*C*) 256
Drug delivery, subcutaneous, Additional subcutaneous administration of flumazenil does not shorten recovery time after midazolam, LUGER, T. J., *et al.* 53–58
Drug delivery, the priming principle, The priming principle: early development, JONES, R. M., (*C*) 256
Drug delivery, transdermal, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
——, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
Drug effects, cardiovascular, Clinical impressions and cardiorespiratory effects of a new fluorinated inhalation anaesthetic, desflurane (I-653), in volunteers, JONES, R. M., *et al.* 11–15
Drug interactions, atracurium, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Drug interactions, edrophonium, Edrophonium antagonism of atracurium during enflurane anaesthesia, GILL, S. S., *et al.* 300–305
Drug interactions, enflurane, Edrophonium antagonism of atracurium during enflurane anaesthesia, GILL, S. S., *et al.* 300–305
Drug interactions, suxamethonium, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Drug interactions, tubocurarine, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Drug metabolism, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562

Enzymes, cytochrome b5 reductase, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced

methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Enzymes, methaemoglobin reductase, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Enzymes, methionine synthase, Dimethylthiourea, a hydroxyl radical scavenger, impedes the inactivation of methionine synthase by nitrous oxide in mice, KOBLIN, D. D., *et al.* 214–223
Equipment, 29-gauge needle, Spinal anaesthesia in young patients using a 29-gauge needle: technical considerations and an evaluation of postoperative complaints compared with general anaesthesia, DAHL, J. B., *et al.* 178–182
Equipment, anaesthetic analysers, The ICOR anaesthetic analyser, HUMPHREY, S. J. E., *et al.*, (*ARS*) 397–398P
Equipment, Angle Finder, Is there an "optimum" intubating position? TWEEDIE, I., *et al.*, (*ARS*) 383P
Equipment, artificial hearts, Prediction of pulmonary artery pressure in the Jarvik-7 total artificial heart, CORK, R. C., *et al.*, (*ARS*) 391P
Equipment, breathing systems, A modified circle breathing system, MARSHALL, F. P. F., *et al.*, (*C*) 759
——, Comparison of four methods of preoxygenation, MCCRORY, J. W., *et al.* 571–576
——, Early detection of "rebreathing" in afferent and efferent reservoir breathing systems using capnography, MILLER, D. M. 251–255
Equipment, catheters, Comparison of complications associated with single-holed and multi-holed extradural catheters, MORRISON, L. M. M., *et al.* 183–185
Equipment, cylinders, Cardiac arrest caused by an incorrectly filled oxygen cylinder: a case report, JAWAN, B., *et al.* 749–751
Equipment, Datex Relaxograph, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Equipment, Engstrom Metabolic Computer, One-hour measurements of energy expenditure in critical illness extrapolated to assess 24-h energy requirements, PHILLIPS, B., *et al.*, (*ARS*) 398P
Equipment, Finapres, Non-supine uterine aortic compression, KINSELLA, S. M., *et al.*, (*ARS*) 395P
Equipment, flowmeters, A simple flowmeter for unusual gases, FARQUHAR, I., *et al.* 113–116
Equipment, gas analysers, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
——, Validation of the Oximetrics 3 for continuous monitoring of jugular bulb oxygen saturation after severe head injury: comparison with IL282 *In Vitro* Co-oximeter, ANDREWS, P. J. D., *et al.*, (*ARS*) 393–394P
Equipment, humidifiers, Effect of humidification on inhalation induction with isoflurane, VAN HEERDEN, P. V., *et al.* 235–237
Equipment, infusion systems, Cardiovascular changes in the elderly following induction of anaesthesia at various rates, PEACOCK, J. E., *et al.*, (*ARS*) 391–392P
Equipment, masks anaesthesia, Déjà vu, BODMAN, R., (*C*) 406
——, Déjà vu, BRAIN, A. I. J., (*C*) 406
——, The Brain laryngeal mask airway as an aid to intubation, HEATH, M. L., *et al.*, (*ARS*) 382–383P
Equipment, pacemakers, Use of a magnet with programmable pacemakers, DAVID, D. A., (*C*) 405
——, Use of a magnet with programmable pacemakers, MADSEN, G., *et al.*, (*C*) 405–406
Equipment, scavenging devices, Assessment of a scavenging device for use in paediatric anaesthesia, SIK, M. J., *et al.* 117–123
Equipment, ventilators, A new infant oscillatory ventilator, CHAKRABARTI, M. K., *et al.* 374–378
——, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Essentials of Critical Care Medicine, TOBIN, M. J., (*R*) 532
Evoked potentials, monitoring, Substitution of nitrous oxide by propofol improves posterior tibial nerve somatosensory evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.*, (*ARS*) 387P
Evoked potentials, tibial nerve, Substitution of nitrous oxide by propofol improves posterior tibial nerve somatosensory evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.*, (*ARS*) 387P
Eye, intraocular pressure, Effects of nebulized lignocaine on the intraocular pressure responses to tracheal intubation, MOSTAFA, S. M., *et al.* 515–517

Ferret, Actions of microiontophoretically applied GABA and midazolam in ferret spinal cord, BENTLEY, G. N., *et al.*, (*ARS*) 400P
Fluid balance, Influence of fluid regimens on perioperative blood-glucose concentrations in neonates, LARSSON, L. E., *et al.* 419–424
Fluid balance, isotonic saline, Changes in serum electrolyte and atrial natriuretic peptide concentrations, acid–base and haemodynamic status after rapid infusion of isotonic saline and Ringer lactate solution in healthy volunteers, KAMP-JENSEN, M., *et al.* 606–610
Fluid balance, Ringer acetate solution, Changes in serum electrolyte and atrial natriuretic peptide concentrations, acid–base and haemodynamic status after rapid infusion of isotonic saline and Ringer lactate solution in healthy volunteers, KAMP-JENSEN, M., *et al.* 606–610
Fluids, extracellular volume depletion, Changes in serum electrolyte and atrial natriuretic peptide concentrations, acid–base and haemodynamic status after rapid infusion of isotonic saline and Ringer lactate solution in healthy volunteers, KAMP-JENSEN, M., *et al.* 606–610

Gas exchange, Gas exchange during anaesthesia, HEDENSTIERNA, G. 507–514
Gastrointestinal tract, bowel function, Peroperative nitrous oxide delays bowel function after colonic surgery, SCHEININ, B., *et al.* 154–158
Gastrointestinal tract, gastric emptying, Effect of i.v. metoclopramide on gastric emptying after opioid premedication, MCNEILL, M. J., *et al.* 450–452
Gastrointestinal tract, lower oesophageal contractility, Relationship between lower oesophageal contractility and type of surgical stimulation, THOMAS, D. I., *et al.* 306–310
Gastrointestinal tract, lower oesophageal sphincter, Effect of syntocinon and ergometrine on the lower oesophageal sphincter during the first trimester of pregnancy, MITCHELL, R. W. D., *et al.*, (*ARS*) 399–400P
Gastrointestinal tract, metoclopramide, Effect of i.v. metoclopramide on gastric emptying after opioid premedication, MCNEILL, M. J., *et al.* 450–452

Gastrointestinal tract, oxytocics, Effect of syntocinon and ergometrine on the lower oesophageal sphincter during the first trimester of pregnancy, MITCHELL, R. W. D., *et al.*, (*ARS*) 399–400P
Gastrointestinal tract, reflux, Lower oesophageal reflux during priming with vecuronium, MARTIN, C., *et al.* 33–35
Gastrointestinal tract, stomach antihistamines, Aspiration pneumonitis prophylaxis in obstetric anaesthesia: comparison of effervescent cimetidine–sodium citrate mixture and sodium citrate, ORMEZZANO, X., *et al.* 503–506
——, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
Glycopyrronium, Pharmacokinetics of i.m. glycopyrronium, ALI-MELKKILÄ, T. M., *et al.* 667–669

Haemodynamics, Effect of nicardipine on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 240–242
Head, severe injury, Validation of the Oximetrics 3 for continuous monitoring of jugular bulb oxygen saturation after severe head injury: comparison with IL282 *In Vitro* Co-oximeter, ANDREWS, P. J. D., *et al.*, (*ARS*) 393–394P
Heart, aortic compression, Non-supine uterine aortic compression, KINSELLA, S. M., *et al.*, (*ARS*) 395P
Heart arrhythmia, tachycardia, Use of a magnet with programmable pacemakers, DAVID, D. A., (*C*) 405
——, Use of a magnet with programmable pacemakers, MADSEN, G., *et al.*, (*C*) 405–406
Heart block, calcium channel blockers, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
Heart block, verapamil, Clinical concentrations of verapamil affect the *in vitro* diagnosis of susceptibility to malignant hyperpyrexia, ADNET, P. J., *et al.* 64–66
Heart, cardiac output, Non-invasive measurement of cardiac output during tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 390–391P
Heart, cardiopulmonary bypass, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Haemodynamic variables during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 389P
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Heart, cardiovascular variables, Non-invasive measurement of cardiac output during tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 390–391P
——, Non-invasive measurements of minute-by-minute changes in cardiovascular variables during induction of anaesthesia, SANDERS, D. J., *et al.*, (*ARS*) 389–390P
Heart, echocardiograph, Estimation of left ventricular volume and ejection fraction by two-dimensional transoesophageal echocardiography: comparison of short axis imaging and simultaneous radionuclide angiography, CLEMENTS, F. M., *et al.* 331–336
Heart, enoximone, Haemodynamic effects of the phosphodiesterase inhibitor enoximone in comparison with dobutamine in esmolol-treated cardiac surgery patients, BOLDT, J., *et al.* 611–616
Heart, esmolol, Haemodynamic effects of the phosphodiesterase inhibitor enoximone in comparison with dobutamine in esmolol-treated cardiac surgery patients, BOLDT, J., *et al.* 611–616
Heart, ischaemia, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
——, Silent myocardial ischaemia in a patient with anaemia before operation, PARSLOE, M. R. J., *et al.* 634–637
Heart, left ventricular volume, Estimation of left ventricular volume and ejection fraction by two-dimensional transoesophageal echocardiography: comparison of short axis imaging and simultaneous radionuclide angiography, CLEMENTS, F. M., *et al.* 331–336
Heart, metabolism, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
Heart, nitroglycerin, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
Heart, pressure measurement, Haemodynamic effects of propofol infusion: dose–response study in compromised canine hearts, DIEDERICKS, J., *et al.*, (*ARS*) 393P
Heart, radionuclide angiography, Estimation of left ventricular volume and ejection fraction by two-dimensional transoesophageal echocardiography: comparison of short axis imaging and simultaneous radionuclide angiography, CLEMENTS, F. M., *et al.* 331–336
Heart, surgery, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Histamine, Side effects of atracurium, MIRAKHUR, R. K., (*C*) 124–125
Hormones, adrenal, Effect of adrenaline on venous plasma concentrations of bupivacaine after interpleural administration, GIN, T., *et al.* 662–666
Hormones, atrial natriuretic peptide, Changes in serum electrolyte and atrial natriuretic peptide concentrations, acid–base and haemodynamic status after rapid infusion of isotonic saline and Ringer lactate solution in healthy volunteers, KAMP-JENSEN, M., *et al.* 606–610
Hormones, catecholamines, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Hormones, glucocorticoid, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
——, Local analgesia prevents the cortisol and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
Hormones, growth, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Hormones, somatostatin, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Hyperthermia, lymphocytes, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
Hypnotics benzodiazepine, midazolam, Actions of microiontophoretically applied GABA and midazolam in ferret spinal cord, BENTLEY, G. N., *et al.*, (*ARS*) 400P
——, Additional subcutaneous administration of flumazenil does not shorten recovery time after midazolam, LUGER, T. J., *et al.* 53–58
——, Effects of midazolam on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 590–593
——, Memory function after i.v. midazolam or inhalation of isoflurane for sedation during dental surgery, HO, E. T. F., *et al.* 337–340
——, Midazolam acts synergistically with fentanyl for induction of anaesthesia, BEN-SHLOMO, I., *et al.* 45–47

——, Midazolam and flumazenil in the anaesthetic management of trigeminal nerve thermocoagulation, HARROP-GRIFFITHS, A. W., *et al.* 586–589
——, Preoperative sedation before regional anaesthesia: comparison between zolpidem, midazolam and placebo, PRAPLAN-PAHUD, J., *et al.* 670–674
——, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
——, Sedation during spinal anaesthesia: comparison of propofol and midazolam, WILSON, E., *et al.* 48–52
Hypnotics benzodiazepine, temazepam, Anaesthesia, movement and emesis, KAMATH, B., *et al.* 728–730
Hypnotics imidazopyridine, zolpidem, Preoperative sedation before regional anaesthesia: comparison between zolpidem, midazolam and placebo, PRAPLAN-PAHUD, J., *et al.* 670–674
Hypothermia, Extradurals and shivering: effects of cold and warm extradural saline injections in volunteers, PONTE, J., *et al.* 731–733
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Hypoxaemia, pulse oximetry, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275

Induction, anaesthesia, Midazolam acts synergistically with fentanyl for induction of anaesthesia, BEN-SHLOMO, I., *et al.* 45–47
Infusion rate, Prediction of infusion rates: computer study, HARRISON, M. J. 283–286
——, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Infusions, Cardiovascular changes in the elderly following induction of anaesthesia at various rates, PEACOCK, J. E., *et al.*, (*ARS*) 391–392P
——, PCA or PAA? ARMITAGE, E. N., (*C*) 651
——, PCA or PAA? OWEN, H., *et al.*, (*C*) 650–651
Infusions, i.v., Comparison of the respiratory effects of i.v. infusions of morphine and regional analgesia by extradural block, CLYBURN, P. A., *et al.* 446–449
Intensive care, Continuous arteriovenous haemodialysis in the Intensive Therapy Unit, JONES, G. W., (*E*) 655–656
——, Validation of the Oximetrics 3 for continuous monitoring of jugular bulb oxygen saturation after severe head injury: comparison with IL282 *In Vitro* Co-oximeter, ANDREWS, P. J. D., *et al.*, (*ARS*) 393–394P
Intensive care, analgesia, Buprenorphine disposition in patients with renal impairment: single and continuous dosing, with special reference to metabolites, HAND, C. W., *et al.* 276–282
Intensive care, sedation, Buprenorphine disposition in patients with renal impairment: single and continuous dosing, with special reference to metabolites, HAND, C. W., *et al.* 276–282
——, Isoflurane sedation for patients undergoing mechanical ventilation: metabolism to inorganic fluoride and renal effects, KONG, K. L., *et al.* 159–162
Intubation nasotracheal, blind, Blind nasal intubation is no longer necessary, VAUGHAN, R. S., (*C*) 257
——, Blind nasal intubation is no longer necessary, WILLIAMSON, R., (*C*) 257
Intubation tracheal, Clinical observations on the neuromuscular blocking action of Org 9426, a new steroidal non-depolarizing agent, WIERDA, J. M. K. H., *et al.* 521–523
——, Non-invasive measurement of cardiac output during tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 390–391P
——, The Brain laryngeal mask airway as an aid to intubation, HEATH, M. L., *et al.*, (*ARS*) 382–383P
Intubation tracheal, complications, Effects of nebulized lignocaine on the intraocular pressure responses to tracheal intubation, MOSTAFA, S. M., *et al.* 515–517
——, Fibrodysplasia ossificans progressiva, NEWTON, M. C., *et al.* 246–250
Intubation tracheal, haemodynamic response, Effect of nicardipine on the cardiovascular response to tracheal intubation, MIKAWA, K., *et al.* 240–242
Intubation tracheal, position, Is there an "optimum" intubating position? TWEEDIE, I., *et al.*, (*ARS*) 383P
Ions, calcium, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
——, Doxapram and the neuromuscular junction, FAUVEL, N. J., *et al.*, (*C*) 256–257
——, Effect of ionized calcium on the neuromuscular blocking actions of atracurium and vecuronium in the cat, GRAMSTAD, L., *et al.* 199–206
Ions, intracellular, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
Ions, magnesium, Doxapram and the neuromuscular junction, FAUVEL, N. J., *et al.*, (*C*) 256–257
Ions, potassium, Effects of altering ventilation on pH and potassium ion activity, HUGHES, K. R., *et al.*, (*ARS*) 382P

Journal of College of Anaesthetists, Journal of the College of Anaesthetists, SMITH, G., (*E*) 1–2

Kidney, failure, Buprenorphine disposition in patients with renal impairment: single and continuous dosing, with special reference to metabolites, HAND, C. W., *et al.* 276–282
——, Neuromuscular block with doxacurium (BW A938U) in patients with normal or absent renal function, CASHMAN, J. N., *et al.* 186–192
Kidney, function, Biotransformation and hepato–renal function in volunteers after exposure to desflurane (I-653), JONES, R. M., *et al.* 482–487
Kidney, metabolism, Metabolic effects of sodium nitroprusside on the pig kidney *in vivo*: studies by phosphorus-31 magnetic resonance spectroscopy, PARIVAR, F., *et al.* 710–716
Kidney, urine metabolites, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562
Kinetics, A simplified approach to the effect kinetics of atracurium, GRAHAM, G. G., *et al.* 28–32

Larynx, larynogoscopy, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.* 327–330
Lectures in Anaesthesiology/2, 1st Edn, ZORAB, J. S. M., *et al.*, (editors), (*R*) 128
Liver, function, Biotransformation and hepato–renal function in volunteers after exposure to desflurane (I-653), JONES, R. M., *et al.* 482–487
Liver, hepatic blood flow, Hepatic and extrahepatic disposition of propofol in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 563–570
Liver, hepatotoxicity, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
Liver, protein synthesis, Effect of halothane and inspired oxygen concentration on liver protein synthesis, FERGUSON, K., *et al.*, (*ARS*) 379P
Liver transplantation, Changes in alveolar–arterial oxygen partial pressure difference during orthotopic liver transplantation, BURCHETT, K. R., *et al.* 42–44
Local Anaesthesia and Regional Blockade Physiology, Pharmacology, Clinical Effects. Monographs in

Anaesthesiology, Volume 15, LOFSTROM, J. B., *et al.*, (editors), (*R*) 532–533
Lung, compliance, Gas exchange during anaesthesia, HEDENSTIERNA, G. 507–514
——, Predictive value of FRC and respiratory compliance on pulmonary gas exchange induced by high frequency jet ventilation in humans, PITTET, J. F., *et al.* 460–468
Lung, functional residual capacity, Gas exchange during anaesthesia, HEDENSTIERNA, G. 507–514
——, Predictive value of FRC and respiratory compliance on pulmonary gas exchange induced by high frequency jet ventilation in humans, PITTET, J. F., *et al.* 460–468
Lung, gas exchange, Predictive value of FRC and respiratory compliance on pulmonary gas exchange induced by high frequency jet ventilation in humans, PITTET, J. F., *et al.* 460–468
——, Relationship between resonance and gas exchange during high frequency jet ventilation, LIN, E. S., *et al.* 453–459
Lung, hypoxic vasoconstriction, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
——, Gas exchange during anaesthesia, HEDENSTIERNA, G. 507–514
Lung, model, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Lung, physiotherapy, I.v. alfentanil analgesia for physiotherapy following rib fractures, RAVALIA, A., *et al.* 746–748
——, Some physiological and clinical aspects of chest physiotherapy, SELSBY, D., *et al.* 621–631
Lung, pulmonary artery pressure, Prediction of pulmonary artery pressure in the Jarvik-7 total artificial heart, CORK, R. C., *et al.*, (*ARS*) 391P
Lung, respiratory inertance, Effect of body size and lung volume on respiratory inertance, SMITH, S. P., *et al.*, (*ARS*) 394P
Lung, respiratory resistance, Respiratory resistance during continuous positive airway pressure, CRAFT, T. M., *et al.*, (*ARS*) 394–395P
Lung, rib fractures, I.v. alfentanil analgesia for physiotherapy following rib fractures, RAVALIA, A., *et al.* 746–748
Lung, volume, Effect of body size and lung volume on respiratory inertance, SMITH, S. P., *et al.*, (*ARS*) 394P
——, Respiratory resistance during continuous positive airway pressure, CRAFT, T. M., *et al.*, (*ARS*) 394–395P

Malignant hyperthermia, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
——, Clinical concentrations of verapamil affect the *in vitro* diagnosis of susceptibility to malignant hyperpyrexia, ADNET, P. J., *et al.* 64–66
——, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
——, Effect of ischaemic work on the relaxation rate of patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.*, (*ARS*) 379–380P
——, Predicting malignant hyperthermia, ELLIS, F. R., (*E*) 411–412
——, Prediction of malignant hyperthermia susceptibility: statistical evaluation of clinical signs, HACKL, W., *et al.* 425–429
Malignant Hyperthermia: Current Concepts, FELIPE, M., *et al.*, (editors), (*R*) 531
Manual of Intensive Care Medicine, 2nd Edn, RIPPE, J. M., (editor), (*R*) 259
Masseter spasm, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
Measurement techniques, arterial pressure, Haemodynamic effects of propofol infusion: dose–response study in compromised canine hearts, DIEDERICKS, J., *et al.*, (*ARS*) 393P
Measurement techniques, calcium ions, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
Measurement techniques, capnography, Early detection of "rebreathing" in afferent and efferent reservoir breathing systems using capnography, MILLER, D. M. 251–255
Measurement techniques, contracture test for MH, Cytosolic free calcium concentrations in lymphocytes from malignant hyperthermia susceptible patients, ØRDING, H., *et al.* 341–345
Measurement techniques, electrocardiography, Arterial oxygen saturation following premedication for cardiac surgery, MARJOT, R., *et al.* 737–740
Measurement techniques, electromyography, Effect of interval between train-of-four stimulation on measurement of neuromuscular block, CARTER, J. A., *et al.*, (*ARS*) 384–385P
Measurement techniques, energy expenditure, One-hour measurements of energy expenditure in critical illness extrapolated to assess 24-h energy requirements, PHILLIPS, B., *et al.*, (*ARS*) 398P
Measurement techniques, flowmeter, A simple flowmeter for unusual gases, FARQUHAR, I., *et al.* 113–116
Measurement techniques, indirect calorimetry, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
Measurement techniques, magnetic resonance spectroscopy, Metabolic effects of sodium nitroprusside on the pig kidney *in vivo*: studies by phosphorus-31 magnetic resonance spectroscopy, PARIVAR, F., *et al.* 710–716
Measurement techniques, metabolic gas exchange, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Measurement techniques, neuromuscular block, Double burst stimulation in children, SADDLER, J. M., *et al.*, (*ARS*) 399P
——, Effect of interval between train-of-four stimulation on measurement of neuromuscular block, CARTER, J. A., *et al.*, (*ARS*) 384–385P
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Measurement techniques, oximetry, Arterial oxygen saturation following premedication for cardiac surgery, MARJOT, R., *et al.* 737–740
——, Effects of transient reduction in breathing on pulse oximeter measurements during anaesthesia, MORRISON, L. M. M., *et al.*, (*ARS*) 400–401P
——, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
——, Validation of the Oximetrics 3 for continuous monitoring of jugular bulb oxygen saturation after severe head injury: comparison with IL282 *In Vitro*

Co-oximeter, ANDREWS, P. J. D., *et al.*, (*ARS*) 393–394P
Measurement techniques, plethysmography, Peripheral vascular changes associated with the induction of anaesthesia: effect of etomidate, MCKINNEY, M. S., *et al.*, (*ARS*) 392P
Measurement techniques, radioreceptor assay, Pharmacokinetics of i.m. glycopyrronium, ALI-MELKKILÄ, T. M., *et al.* 667–669
Measurement techniques, thoracic impedance cardiography, Non-invasive measurement of cardiac output during tracheal intubation, VOHRA, A., *et al.*, (*ARS*) 390–391P
——, Non-invasive measurements of minute-by-minute changes in cardiovascular variables during induction of anaesthesia, SANDERS, D. J., *et al.*, (*ARS*) 389–390P
Measurement techniques, ultrasound, Percutaneous anterior approach to the coeliac plexus using ultrasound, MONTERO-MATAMALA, A., (*C*) 126
——, Percutaneous anterior approach to the coeliac plexus using ultrasound, NOTCUTT, W. G., (*C*) 126
Measurement techniques, ultraviolet, Decay of nitroprusside. I: *In vitro*, VESEY, C. J., *et al.* 696–703
——, Decay of nitroprusside. II: *In vivo*, VESEY, C. J., *et al.* 704–709
Medicine for Anaesthetists, 3rd Edn, VICKERS, M. D., *et al.*, (editors), (*R*) 261
Medicine in the Practice of Anaesthesia, KAUFMAN, L., *et al.*, (editors), (*R*) 127
Memory, Memory function after i.v. midazolam or inhalation of isoflurane for sedation during dental surgery, HO, E. T. F., *et al.* 337–340
Metabolism, bupivacaine, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562
Metabolism, carbon dioxide production, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
Metabolism, endocrine, Local analgesia prevents the cortisol and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
Metabolism, energy expenditure, One-hour measurements of energy expenditure in critical illness extrapolated to assess 24-h energy requirements, PHILLIPS, B., *et al.*, (*ARS*) 398P
Metabolism, fasting, Why are children starved? MILLER, D. C., (*E*) 409–410
Metabolism, fluoride, Isoflurane sedation for patients undergoing mechanical ventilation: metabolism to inorganic fluoride and renal effects, KONG, K. L., *et al.* 159–162
Metabolism, fluorometabolites, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
Metabolism, formiminoglutamic acid, Formiminoglutamic acid excretion in anaesthetists, ARMSTRONG, P., *et al.*, (*ARS*) 397P
Metabolism, glucose, Glucose utilization and the thermogenic effect of infused glucose in critical illness, O'SULLIVAN, E., *et al.*, (*ARS*) 380–381P
Metabolism, halothane, A urinary cysteine–halothane metabolite: validation and measurement in children, WARK, H., *et al.* 469–473
——, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
——, Halothane metabolism in children, WARK, H., *et al.* 474–481
Metabolism, hypoglycaemia, Why are children starved? MILLER, D. C., (*E*) 409–410
Metabolism, laudanosine, Cerebrospinal fluid concentrations of laudanosine after administration of atracurium, FAHEY, M. R., *et al.* 105–106
Metabolism, morphine, Persistently increased morphine-6-glucuronide concentrations, CALLEJA, M. A., *et al.*, (*C*) 649
Metabolism, oxygen consumption, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Metabolism, response, Local analgesia prevents the cortisol and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
Metabolism, urinary conjugate, A urinary cysteine–halothane metabolite: validation and measurement in children, WARK, H., *et al.* 469–473
Methaemoglobinaemia, Inverse relationship between age-dependent erythrocyte activity of methaemoglobin reductase and prilocaine-induced methaemoglobinaemia during infancy, NILSSON, A., *et al.* 72–76
Model, computer simulation, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Model, heart, Prediction of pulmonary artery pressure in the Jarvik-7 total artificial heart, CORK, R. C., *et al.*, (*ARS*) 391P
Model, lung, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Model, mouse, Anticonvulsant properties of propofol and thiopentone: comparison using two tests in laboratory mice, LOWSON, S., *et al.* 59–63
Model, pharmacokinetic, Prediction of infusion rates: computer study, HARRISON, M. J. 283–286
——, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Model, rabbit, Isoflurane but not halothane stimulates neutrophil chemotaxis, ERSKINE, R., *et al.* 723–727
Monitoring, anaesthetist activity, A second time-study of the anaesthetist's intraoperative period, MCDONALD, J. S., *et al.* 582–585
Monitoring, arterial, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.* 327–330
Monitoring, carbon dioxide, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.* 327–330
——, Early detection of "rebreathing" in afferent and efferent reservoir breathing systems using capnography, MILLER, D. M. 251–255
Monitoring, computerized, Prediction of infusion rates: computer study, HARRISON, M. J. 283–286
——, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Monitoring, continuous arteriovenous haemodialysis, Continuous arteriovenous haemodialysis in the Intensive Therapy Unit, JONES, G. W., (*E*) 655–656
Monitoring, electrocardiography, Silent myocardial ischaemia in a patient with anaemia before operation, PARSLOE, M. R. J., *et al.* 634–637
Monitoring, electromyography, Effect of interval between train-of-four stimulation on measurement of neuromuscular block, CARTER, J. A., *et al.*, (*ARS*) 384–385P
Monitoring, energy expenditure, One-hour measurements of energy expenditure in critical illness extrapolated to assess 24-h energy requirements, PHILLIPS, B., *et al.*, (*ARS*) 398P
Monitoring, evoked potentials, Substitution of nitrous oxide by propofol improves posterior tibial nerve

somatosensory evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.*, (*ARS*) 387P
Monitoring, human basophil degranulation test, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Monitoring, international consensus, An international consensus on monitoring? WINTER, A., *et al.*, (*E*) 263–266
Monitoring, intraoperative, A second time-study of the anaesthetist's intraoperative period, MCDONALD, J. S., *et al.* 582–585
Monitoring, leucocyte histamine release, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Monitoring, liquid chromatography, Extradural administration of bupivacaine: pharmacokinetics and metabolism in pregnant and non-pregnant women, PIHLAJAMÄKI, K., *et al.* 556–562
Monitoring, neuromuscular function, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
Monitoring, oxygen, Comparison of four methods of preoxygenation, MCCRORY, J. W., *et al.* 571–576
——, Postoperative hypoxaemia: comparison of extradural, i.m. and patient-controlled opioid analgesia, WHEATLEY, R. G., *et al.* 267–275
Monitoring, patient record, A second time-study of the anaesthetist's intraoperative period, MCDONALD, J. S., *et al.* 582–585
Monitoring, plethysmography, Peripheral vascular changes associated with the induction of anaesthesia: effect of etomidate, MCKINNEY, M. S., *et al.*, (*ARS*) 392P
Monitoring, pulse oximetry, Effects of transient reduction in breathing on pulse oximeter measurements during anaesthesia, MORRISON, L. M. M., *et al.*, (*ARS*) 400–401P
Monitoring, radioimmunoassay, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Monitoring, radionuclide angiography, Estimation of left ventricular volume and ejection fraction by two-dimensional transoesophageal echocardiography: comparison of short axis imaging and simultaneous radionuclide angiography, CLEMENTS, F. M., *et al.* 331–336
Monitoring, safety standards, An international consensus on monitoring? WINTER, A., *et al.*, (*E*) 263–266
Monitoring, skin test, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Monitoring, somatosensory evoked potentials, Effects of midazolam on median nerve somatosensory evoked potentials, SLOAN, T. B., *et al.* 590–593
Monitoring, temperature, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
Monitoring, transoesophageal echocardiography, Estimation of left ventricular volume and ejection fraction by two-dimensional transoesophageal echocardiography: comparison of short axis imaging and simultaneous radionuclide angiography, CLEMENTS, F. M., *et al.* 331–336
Monitoring, transtracheal, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.* 327–330
Monitoring, visual evoked potentials, Effects of enflurane on visual evoked potentials in humans, CHI, O. Z., *et al.* 163–166
Mouse, Anticonvulsant properties of propofol and thiopentone: comparison using two tests in laboratory mice, LOWSON, S., *et al.* 59–63
——, Dimethylthiourea, a hydroxyl radical scavenger, impedes the inactivation of methionine synthase by nitrous oxide in mice, KOBLIN, D. D., *et al.* 214–223
——, Propofol-induced seizure-like behaviour in mice, SMITH, M. B., *et al.*, (*ARS*) 396–397P
Muscle skeletal, adductor pollicis, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
——, Effect of ischaemic work on the relaxation rate of patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.*, (*ARS*) 379–380P
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Muscle skeletal, diaphragm, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
Muscle skeletal, masseter, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Muscle skeletal, metabolism, Effect of ischaemic work on the relaxation rate of patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.*, (*ARS*) 379–380P
Myasthenic syndrome, 3.4 diaminopyridine, The myasthenic syndrome: anaesthesia in a patient treated with 3.4 diaminopyridine, TELFORD, R. J., *et al.* 363–366
Myotonia dystrophica, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. 110–112
——, Exaggerated physiological responses to propofol in myotonic dystrophy, SPEEDY, H. M., (*C*) 758–759
——, Exaggerated physiological responses to propofol in myotonic dystrophy, WHITE, D. A., *et al.*, (*C*) 758

Nausea, postoperative, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
Neonates, Influence of fluid regimens on perioperative blood-glucose concentrations in neonates, LARSSON, L. E., *et al.* 419–424
Nerve, electrophrenic stimulation, Effect of dantrolene on ventilation and respiratory muscle activity in anaesthetized dogs, OLIVEN, A., *et al.* 207–213
Nerve, trigeminal neuralgia, Midazolam and flumazenil in the anaesthetic management of trigeminal nerve thermocoagulation, HARROP-GRIFFITHS, A. W., *et al.* 586–589
Nerve–muscle preparations, Doxapram and the neuromuscular junction, FAUVEL, N. J., *et al.*, (*C*) 256–257
Neuromuscular block, alcuronium, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
——, Pharmacodynamics of alcuronium in the elderly, KENT, A. P., *et al.*, (*ARS*) 385–386P
Neuromuscular block, antagonism, Edrophonium antagonism of atracurium during enflurane anaesthesia, GILL, S. S., *et al.* 300–305
Neuromuscular block, atracurium, A simplified approach to the effect kinetics of atracurium, GRAHAM, G. G., *et al.* 28–32
——, Cerebrospinal fluid concentrations of laudanosine

after administration of atracurium, FAHEY, M. R., *et al.* 105–106
——, Edrophonium antagonism of atracurium during enflurane anaesthesia, GILL, S. S., *et al.* 300–305
——, Effect of interval between train-of-four stimulation on measurement of neuromuscular block, CARTER, J. A., *et al.*, (*ARS*) 384–385P
——, Effect of ionized calcium on the neuromuscular blocking actions of atracurium and vecuronium in the cat, GRAMSTAD, L., *et al.* 199–206
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
——, Side effects of atracurium, MIRAKHUR, R. K., (*C*) 124–125
Neuromuscular block, dantrolene, Effect of dantrolene on ventilation and respiratory muscle activity in anaesthetized dogs, OLIVEN, A., *et al.* 207–213
Neuromuscular block, doxacurium, Influence of block density on the reversal characteristics of doxacurium, CASHMAN, J. N., *et al.*, (*ARS*) 385P
——, Neuromuscular block with doxacurium (BW A938U) in patients with normal or absent renal function, CASHMAN, J. N., *et al.* 186–192
Neuromuscular block, laudanosine, Cerebrospinal fluid concentrations of laudanosine after administration of atracurium, FAHEY, M. R., *et al.* 105–106
Neuromuscular block, measurement of response, Double burst stimulation in children, SADDLER, J. M., *et al.*, (*ARS*) 399P
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Neuromuscular block, measurement techniques, Effect of interval between train-of-four stimulation on measurement of neuromuscular block, CARTER, J. A., *et al.*, (*ARS*) 384–385P
Neuromuscular block, mivacurium, Neuromuscular and cardiovascular effects of mivacurium chloride (BW B1090U) during nitrous oxide–fentanyl–thiopentone and nitrous oxide–halothane anaesthesia, FROM, R. P., *et al.* 193–198
——, Preliminary clinical experiences with mivacurium (BW B1090U), WHITEHEAD, J. P., *et al.*, (*ARS*) 386P
Neuromuscular block, pancuronium, Anaphylactoid reaction to vecuronium, TREUREN, B. C., *et al.*, (*C*) 125–126
——, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
——, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Neuromuscular block, priming, The priming principle: early development, JONES, R. M., (*C*) 256
Neuromuscular block, recovery, Double burst stimulation in children, SADDLER, J. M., *et al.*, (*ARS*) 399P
Neuromuscular block, suxamethonium, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
——, Masseteric muscle spasm as a normal response to suxamethonium, LEARY, N. P., *et al.* 488–492
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
——, Simultaneous anaphylaxis to thiopentone and a neuromuscular blocker: a study of two cases, MONERET-VAUTRIN, D. A., *et al.* 743–745
Neuromuscular block, tubocurarine, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
——, Pretreatment with non-depolarizing neuromuscular blocking agents and suxamethonium-induced increases in resting jaw tension in children, SMITH, C. S., *et al.* 577–581
Neuromuscular block, vecuronium, Anaphylactoid reaction to vecuronium, TREUREN, B. C., *et al.*, (*C*) 125–126
——, Changes in resistance to mouth opening induced by depolarizing and non-depolarizing neuromuscular relaxants, VAN DER SPEK, A. F. L., *et al.* 21–27
——, Clinical observations on the neuromuscular blocking action of Org 9426, a new steroidal non-depolarizing agent, WIERDA, J. M. K. H., *et al.* 521–523
——, Effect of ionized calcium on the neuromuscular blocking actions of atracurium and vecuronium in the cat, GRAMSTAD, L., *et al.* 199–206
——, Lower oesophageal reflux during priming with vecuronium, MARTIN, C., *et al.* 33–35
——, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
——, Study of the possible interaction between fentanyl and propofol using a computer-controlled infusion of propofol, DIXON, J., *et al.* 142–147
——, The myasthenic syndrome: anaesthesia in a patient treated with 3.4 diaminopyridine, TELFORD, R. J., *et al.* 363–366
Neuromuscular function, Effects of *E. coli* lipopolysaccharide on neuromuscular transmission, HOPKINS, P. M., *et al.*, (*ARS*) 380P
——, Preliminary clinical experiences with mivacurium (BW B1090U), WHITEHEAD, J. P., *et al.*, (*ARS*) 386P
Neuromuscular junction, Doxapram and the neuromuscular junction, FAUVEL, N. J., *et al.*, (*C*) 256–257
Non-anaesthetic gases, helium, Isolated human blood platelets discriminate between anaesthetic and non-anaesthetic gases at high pressures, McIVER, D. J. L., *et al.* 77–84
Non-steroidal anti-inflammatory drugs, ibuprofen, Analgesic side effects and minor surgery: which analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620

Operating rooms, personnel, A second time-study of the anaesthetist's intraoperative period, McDONALD, J. S., *et al.* 582–585
Organizations, College of Anaesthetists, Comparison of candidates who passed or failed the final (Part Three) examination for the F.F.A.R.C.S.(ENG.) in 1988, DAVID, A. C., *et al.* 752–757
Oscillation, airway pressure, A new infant oscillatory ventilator, CHAKRABARTI, M. K., *et al.* 374–378
Oxygen, consumption, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Oxygen, measurement, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Oxygen, partial pressure, Changes in alveolar–arterial

oxygen partial pressure difference during orthotopic liver transplantation, BURCHETT, K. R., *et al.* 42–44
Oxygen, pulse oximetry, Arterial oxygen saturation following premedication for cardiac surgery, MARJOT, R., *et al.* 737–740
Oxygen, saturation, Oxygen saturation during inhalation induction with halothane and isoflurane in children: effect of premedication with rectal thiopentone, RAFTERY, S., *et al.* 167–169
Oxygen, uptake, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Oxygenation, techniques, Comparison of four methods of preoxygenation, MCCRORY, J. W., *et al.* 571–576

Pain, Depth and duration of skin analgesia to needle insertion after topical application of EMLA cream, BJERRING, P., *et al.* 173–177
Pain, neonatal, Pain management in paediatric patients, LLOYD-THOMAS, A. R. 85–104
Pain, paediatric, Pain management in paediatric patients, LLOYD-THOMAS, A. R. 85–104
Pain, postoperative, Analgesia following extradural and i.m. pethidine in post-Caesarean section patients, PERRISS, B. W., *et al.* 355–357
——, Comparison of i.m. ketorolac tromethamine and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.*, (*ARS*) 395–396P
——, Effect of psychological variables and pain relief system on postoperative pain experience, THOMAS, V. J., *et al.*, (*ARS*) 388–389P
——, Pain management in paediatric patients, LLOYD-THOMAS, A. R. 85–104
——, Postoperative analgesia after paediatric orchidopexy: evaluation of a bupivacaine–morphine mixture, WOLF, A. R., *et al.* 430–435
——, Prevention of postoperative pain by balanced analgesia, DAHL, J. B., *et al.* 518–520
Pain, psychological variables, Effect of psychological variables and pain relief system on postoperative pain experience, THOMAS, V. J., *et al.*, (*ARS*) 388–389P
Parasympathetic nervous system, hyoscine, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
Partial pressure, alveolar–arterial, Changes in alveolar–arterial oxygen partial pressure difference during orthotopic liver transplantation, BURCHETT, K. R., *et al.* 42–44
Pediatric Anesthesia, Vols 1 & 2, GREGORY, G. A., (editor), (*R*) 762
Pharmacodynamics, Pharmacodynamics of alcuronium in the elderly, KENT, A. P., *et al.*, (*ARS*) 385–386P
——, Pharmacokinetics and pharmacodynamics of an equipotent fentanyl and alfentanil dose in mother and infant during Caesarean section, LEUWER, M., *et al.*, (*ARS*) 398–399P
——, Pharmacokinetics of i.m. glycopyrronium, ALI-MELKKILÄ, T. M., *et al.* 667–669
Pharmacokinetics, Pharmacokinetics and pharmacodynamics of an equipotent fentanyl and alfentanil dose in mother and infant during Caesarean section, LEUWER, M., *et al.*, (*ARS*) 398–399P
Pharmacokinetics, bupivacaine, Effect of adrenaline on venous plasma concentrations of bupivacaine after interpleural administration, GIN, T., *et al.* 662–666
——, Pharmacokinetics of interpleural bupivacaine in patients undergoing cholecystectomy, MOGG, G. A., *et al.* 657–661
Pharmacokinetics, buprenorphine, Buprenorphine disposition in patients with renal impairment: single and continuous dosing, with special reference to metabolites, HAND, C. W., *et al.* 276–282
Pharmacokinetics, cerebrospinal fluid, Analgesic efficacy and CSF pharmacokinetics of intrathecal morphine-6-glucuronide: comparison with morphine, HANNA, M. H., *et al.* 547–550
Pharmacokinetics, disposition, Hepatic and extrahepatic disposition of propofol in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 563–570
Pharmacokinetics, glycopyrronium, Pharmacokinetics of i.m. glycopyrronium, ALI-MELKKILÄ, T. M., *et al.* 667–669
Pharmacokinetics, interaction, Study of the possible interaction between fentanyl and propofol using a computer-controlled infusion of propofol, DIXON, J., *et al.* 142–147
Pharmacokinetics, kinetics, A simplified approach to the effect kinetics of atracurium, GRAHAM, G. G., *et al.* 28–32
Pharmacokinetics, laudanosine, Cerebrospinal fluid concentrations of laudanosine after administration of atracurium, FAHEY, M. R., *et al.* 105–106
Pharmacokinetics, models, Prediction of infusion rates: computer study, HARRISON, M. J. 283–286
——, Prediction of infusion rates: validation of a computer simulation using vecuronium, HARRISON, M. J. 287–293
Pharmacokinetics, morphine, Pharmacokinetics of buccal morphine, CALVEY, T. N., *et al.*, (*C*) 256
Pharmacokinetics, nitrous oxide uptake, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
Pharmacokinetics, pregnancy, Pharmacokinetics of propofol in women undergoing elective Caesarean section, GIN, T., *et al.* 148–153
Pharmacokinetics, propofol, Pharmacokinetics of propofol in women undergoing elective Caesarean section, GIN, T., *et al.* 148–153
Pharmacokinetics, subcutaneous absorption, Effect of major surgery on absorption rate of NPH insulin injected s.c. HJORTRUP, A., *et al.* 741–742
Pharmacokinetics, transdermal, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
Pharmacokinetics, uptake, End-tidal concentrations of halothane and isoflurane during induction of anaesthesia in young and elderly patients, DWYER, R., *et al.* 36–41
Pharmacokinetics, uptake insulin, Effect of major surgery on absorption rate of NPH insulin injected s.c. HJORTRUP, A., *et al.* 741–742
Pharmacology, cyanide, Decay of nitroprusside. I: *In vitro*, VESEY, C. J., *et al.* 696–703
Pharmacology, ketanserin, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Pharmacology, photolysis, Decay of nitroprusside. I: *In vitro*, VESEY, C. J., *et al.* 696–703
Pharmacology, sodium nitroprusside, Decay of nitroprusside. I: *In vitro*, VESEY, C. J., *et al.* 696–703
——, Decay of nitroprusside. II: *In vivo*, VESEY, C. J., *et al.* 704–709
——, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
——, Metabolic effects of sodium nitroprusside on the pig kidney *in vivo*: studies by phosphorus-31 magnetic resonance spectroscopy, PARIVAR, F., *et al.* 710–716
Pharmacology, urapidil, Effects of urapidil, ketanserin

and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Pharmacology, verapamil, Clinical concentrations of verapamil affect the *in vitro* diagnosis of susceptibility to malignant hyperpyrexia, ADNET, P. J., *et al.* 64–66
Physics, baricity, Effect of glucose concentration on the intrathecal spread of 0.5% bupivacaine, BANNISTER, J., *et al.* 232–234
Physics, flow, A simple flowmeter for unusual gases, FARQUHAR, I., *et al.* 113–116
Pig, Metabolic effects of sodium nitroprusside on the pig kidney *in vivo*: studies by phosphorus-31 magnetic resonance spectroscopy, PARIVAR, F., *et al.* 710–716
——, Relationship between resonance and gas exchange during high frequency jet ventilation, LIN, E. S., *et al.* 453–459
Placenta, drug distribution, Pharmacokinetics and pharmacodynamics of an equipotent fentanyl and alfentanil dose in mother and infant during Caesarean section, LEUWER, M., *et al.*, (*ARS*) 398–399P
Platelets, aggregation, Isolated human blood platelets discriminate between anaesthetic and non-anaesthetic gases at high pressures, MCIVER, D. J. L., *et al.* 77–84
Position, effects, Percutaneous anterior approach to the coeliac plexus using ultrasound, MONTERO-MATAMALA, A., (*C*) 126
——, Percutaneous anterior approach to the coeliac plexus using ultrasound, NOTCUTT, W. G., (*C*) 126
Position, head, Misplacement of subclavian venous catheters: importance of head position and choice of puncture site, SANCHEZ, R., *et al.* 632–633
——, Upper airway obstruction by the soft palate: influence of position of head, jaw and neck, GALLOWAY, D. W., (*ARS*) 383–384P
Position, intubation, Is there an "optimum" intubating position? TWEEDIE, I., *et al.*, (*ARS*) 383P
Position, jaw, Upper airway obstruction by the soft palate: influence of position of head, jaw and neck, GALLOWAY, D. W., (*ARS*) 383–384P
Position, neck, Upper airway obstruction by the soft palate: influence of position of head, jaw and neck, GALLOWAY, D. W., (*ARS*) 383–384P
Position, non-supine, Non-supine uterine aortic compression, KINSELLA, S. M., *et al.*, (*ARS*) 395P
Potency, ED_{50} dose response, Potency of propofol for loss of consciousness after a single dose, LESLIE, K., *et al.* 734–736
Premedication, Arterial oxygen saturation following premedication for cardiac surgery, MARJOT, R., *et al.* 737–740
——, Preoperative sedation before regional anaesthesia: comparison between zolpidem, midazolam and placebo, PRAPLAN-PAHUD, J., *et al.* 670–674
Premedication, analgesic, Analgesic side effects and minor surgery: which analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620
Premedication, glycopyrronium, Pharmacokinetics of i.m. glycopyrronium, ALI-MELKKILÄ, T. M., *et al.* 667–669
Premedication, hyoscine, Anaesthesia, movement and emesis, KAMATH, B., *et al.* 728–730
——, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
Premedication, temazepam, Anaesthesia, movement and emesis, KAMATH, B., *et al.* 728–730
Preoxygenation, Comparison of four methods of preoxygenation, MCCRORY, J. W., *et al.* 571–576

Rat, Alterations of "sleeping time" in the rat induced by drugs which modulate central monoaminergic systems, ANGEL, A., *et al.* 594–600
——, Doxapram and the neuromuscular junction, FAUVEL, N. J., *et al.*, (*C*) 256–257
——, Effect of halothane and inspired oxygen concentration on liver protein synthesis, FERGUSON, K., *et al.*, (*ARS*) 379P
——, Influence of hypotension and hypotensive technique on the area of profound reduction in cerebral blood flow during focal cerebral ischaemia in the rat, COLE, D. J., *et al.* 498–502
——, Interaction between calcium channel blockers and volatile anaesthetics in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 601–605
Recovery, Additional subcutaneous administration of flumazenil does not shorten recovery time after midazolam, LUGER, T. J., *et al.* 53–58
Recovery, psychomotor function, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
Repairing Body Fluids—Principles and Practice, KASSIRER, J. P., *et al.*, (*R*) 258–259
Resuscitation of the Newborn. Part I: Basic Resuscitation. Part II: Advanced Resuscitation, 1st Edn, A Working Party of the British Paediatric Association, the College of Anaesthetists, the Royal College of Midwives and the Royal College of Obstetricians and Gynaecologists, (editors), (*R*) 407

Safety and Cost Containment in Anaesthesia, GRAVENSTEIN, J. S., *et al.*, (editors), (*R*) 531–532
Saturation, oxygen, Arterial oxygen saturation following premedication for cardiac surgery, MARJOT, R., *et al.* 737–740
Sedation, Additional subcutaneous administration of flumazenil does not shorten recovery time after midazolam, LUGER, T. J., *et al.* 53–58
——, Psychomotor recovery after three methods of sedation during spinal anaesthesia, KESTIN, I. G., *et al.* 675–681
——, Sedation during spinal anaesthesia: comparison of propofol and midazolam, WILSON, E., *et al.* 48–52
Size, body, Effect of body size and lung volume on respiratory inertance, SMITH, S. P., *et al.*, (*ARS*) 394P
Sleep, Alterations of "sleeping time" in the rat induced by drugs which modulate central monoaminergic systems, ANGEL, A., *et al.* 594–600
Spinal cord, GABA, Actions of microiontophoretically applied GABA and midazolam in ferret spinal cord, BENTLEY, G. N., *et al.*, (*ARS*) 400P
Spinal cord, vertebral interspace, Influence of obesity on the spread of spinal analgesia after injection of plain 0.5% bupivacaine at the L3–4 or L4–5 interspace, TAIVAINEN, T., *et al.* 542–546
Statistics with Confidence—Confidence Intervals and Statistical Guide-lines, GARDNER, M. J., *et al.*, (*R*) 260
Surgery, cardiovascular, Arterial oxygen saturation following premedication for cardiac surgery, MARJOT, R., *et al.* 737–740
——, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
——, Haemodynamic effects of the phosphodiesterase inhibitor enoximone in comparison with dobutamine in esmolol-treated cardiac surgery patients, BOLDT, J., *et al.* 611–616
——, Hepatic and extrahepatic disposition of propofol in patients undergoing coronary bypass surgery, LANGE, H., *et al.* 563–570
——, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Surgery, cataract, Local analgesia prevents the cortisol

and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
Surgery, cholecystectomy, Comparison of i.m. ketorolac tromethamine and morphine sulphate for pain relief after cholecystectomy, POWER, I., *et al.*, (*ARS*) 395–396P
——, Pharmacokinetics of interpleural bupivacaine in patients undergoing cholecystectomy, MOGG, G. A., *et al.* 657–661
Surgery, colon, Peroperative nitrous oxide delays bowel function after colonic surgery, SCHEININ, B., *et al.* 154–158
Surgery, coronary artery, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Surgery, day-case, Analgesic side effects and minor surgery: which analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620
Surgery, dental, Memory function after i.v. midazolam or inhalation of isoflurane for sedation during dental surgery, HO, E. T. F., *et al.* 337–340
Surgery, hormonal response, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Surgery, intracerebral aneurysm, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, WHITBURN, R. H., *et al.* 642–645
Surgery, jaw muscles, Fibrodysplasia ossificans progressiva, NEWTON, M. C., *et al.* 246–250
Surgery, Jehovah's Witness, Hypervolaemic haemodilution in an anaemic Jehovah's Witness, TROUWBORST, A., *et al.* 646–648
Surgery, liver transplantation, Changes in alveolar–arterial oxygen partial pressure difference during orthotopic liver transplantation, BURCHETT, K. R., *et al.* 42–44
——, Plasma concentrations of bupivacaine after intercostal nerve block in patients after orthotopic liver transplantation, BODENHAM, A., *et al.* 436–441
Surgery, major, Effect of major surgery on absorption rate of NPH insulin injected s.c. HJORTRUP, A., *et al.* 741–742
Surgery, neonatal, Influence of fluid regimens on perioperative blood-glucose concentrations in neonates, LARSSON, L. E., *et al.* 419–424
Surgery, obstetric, Relationship between lower oesophageal contractility and type of surgical stimulation, THOMAS, D. I., *et al.* 306–310
Surgery, ophthalmological, Local analgesia prevents the cortisol and glycaemic responses to cataract surgery, BARKER, J. P., *et al.* 442–445
——, Serum concentrations of prilocaine following retrobulbar, GOGGIN, M., *et al.* 107–109
Surgery, oral, Analgesic side effects and minor surgery: which analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620
Surgery, orthopaedic, Anaesthesia and outcome of surgery for fractured neck of femur, DAVIS, F. M., *et al.*, (*C*) 403–404
——, Anaesthesia and outcome of surgery for fractured neck of femur, MCKENZIE, P. J., *et al.*, (*C*) 404
——, Analgesic side effects and minor surgery: which analgesic for minor and day-case surgery? CAMPBELL, W. I. 617–620
Surgery, paediatric, Paediatric glucose homeostasis during anaesthesia, AUN, C. S. T., *et al.* 413–418
Surgery, postoperative hypertension, Effects of urapidil, ketanserin and sodium nitroprusside on venous admixture and arterial oxygenation following coronary artery bypass grafting, MÖLLHOFF, T., *et al.* 493–497
Surgery, spinal, Postoperative paraplegia in a patient with an unsuspected dural arteriovenous malformation, WOODALL, N., *et al.* 638–641
Surgery, thoracotomy, Thoracic nerve block, BERRISFORD, R. G., *et al.*, (*C*) 124
Surgery, transurethral, Spinal analgesia with plain 0.5% bupivacaine administered at spinal interspace L2–3 or L4–5, OLSEN, K. J., *et al.* 170–172
Surgery, urological, Comparison of frusemide and mannitol for diuresis after prostatectomy, CROWLEY, K., *et al.*, (*ARS*) 381P
Surgery, varicose vein, Relationship between lower oesophageal contractility and type of surgical stimulation, THOMAS, D. I., *et al.* 306–310
Sympathetic nervous system, Prophylactic ephedrine infusion in obstetric anaesthesia, STONE, P. A., *et al.*, (*C*) 651
Sympathetic nervous system, adrenaline, Effect of adrenaline on venous plasma concentrations of bupivacaine after interpleural administration, GIN, T., *et al.* 662–666
Sympathetic nervous system, adrenergic block, Alterations of "sleeping time" in the rat induced by drugs which modulate central monoaminergic systems, ANGEL, A., *et al.* 594–600
——, Haemodynamic effects of the phosphodiesterase inhibitor enoximone in comparison with dobutamine in esmolol-treated cardiac surgery patients, BOLDT, J., *et al.* 611–616
Sympathetic nervous system, catecholamines, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Sympathetic nervous system, clonidine, The promise of transdermal drug delivery, NIMMO, W. S., (*E*) 7–10
Sympathetic nervous system, coeliac plexus block, Percutaneous anterior approach to the coeliac plexus using ultrasound, MONTERO-MATAMALA, A., (*C*) 126
——, Percutaneous anterior approach to the coeliac plexus using ultrasound, NOTCUTT, W. G., (*C*) 126
Sympathetic nervous system, ephedrine, Prophylactic ephedrine infusion in obstetric anaesthesia, FRAZER, R. S., *et al.*, (*C*) 651
Sympathetic nervous system, ganglion block, Hormonal responses to cardiac surgery: effects of sufentanil, somatostatin and ganglion block, DESBOROUGH, J. P., *et al.* 688–695
Sympathetic nervous system, MAO inhibitors, Use of alfentanil in a patient receiving monoamine oxidase inhibitor therapy, POWELL, H., (*C*) 528

Technical Manual of Anesthesiology: An Introduction, 1st Edn, HEAVNER, J. E., *et al.*, (*R*) 258
Temperature, body, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
——, Predicting malignant hyperthermia, ELLIS, F. R., (*E*) 411–412
——, Prediction of malignant hyperthermia susceptibility: statistical evaluation of clinical signs, HACKL, W., *et al.* 425–429
Temperature, cooling, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
——, Systemic oxygen uptake during hypothermic cardiopulmonary bypass: effects of alfentanil and naloxone, ALSTON, R. P., (*ARS*) 401–402P
Temperature, heating, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
Temperature, metabolism, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
Temperature, monitoring, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
Temperature, regulation, Extradurals and shivering:

effects of cold and warm extradural saline injections in volunteers, PONTE, J., *et al.* 731–733
Temperature, thermoregulation, Body temperature and anaesthesia, IMRIE, M. M., *et al.* 346–354
The History of Anaesthesia. (International Congress and Symposium Series No. 134), ATKINSON, R. S., *et al.*, (editors), (*R*) 531
Theories of anaesthetic action, pressure reversal, Isolated human blood platelets discriminate between anaesthetic and non-anaesthetic gases at high pressures, MCIVER, D. J. L., *et al.* 77–84
Thromboxane, Enhanced thromboxane synthesis with extradural anaesthesia, KHAZAM, A., *et al.* 238–239
Toxicity, hepatic, Cimetidine pretreatment and halothane hepatotoxicity, BROWN JR, B. R., (*C*) 650
——, Cimetidine pretreatment and halothane hepatotoxicity, RAY, D. C., *et al.*, (*C*) 650
Trauma, Improving the management of major trauma, CLARK, C., (*E*) 139

Uterus, ergometrine, Effect of syntocinon and ergometrine on the lower oesophageal sphincter during the first trimester of pregnancy, MITCHELL, R. W. D., *et al.*, (*ARS*) 399–400P
Uterus, syntocinon, Effect of syntocinon and ergometrine on the lower oesophageal sphincter during the first trimester of pregnancy, MITCHELL, R. W. D., *et al.*, (*ARS*) 399–400P

Veins, cannulation, Misplacement of subclavian venous catheters: importance of head position and choice of puncture site, SANCHEZ, R., *et al.* 632–633
Veins, peripheral resistance, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
Veins, subclavian, Misplacement of subclavian venous catheters: importance of head position and choice of puncture site, SANCHEZ, R., *et al.* 632–633
Veins, vasodilatation, Effects of propofol, thiopentone and etomidate on peripheral vascular resistance during cardiopulmonary bypass, BOER, F., *et al.*, (*ARS*) 402P
Ventilation, airway resistance, Respiratory resistance during continuous positive airway pressure, CRAFT, T. M., *et al.*, (*ARS*) 394–395P
Ventilation, continuous positive airway pressure, Respiratory resistance during continuous positive airway pressure, CRAFT, T. M., *et al.*, (*ARS*) 394–395P
Ventilation, controlled, Breathing pattern and propofol, PONTE, J., (*C*) 528
——, Effects of altering ventilation on pH and potassium ion activity, HUGHES, K. R., *et al.*, (*ARS*) 382P
——, Metabolic gas exchange during nitrous oxide anaesthesia with controlled ventilation, SVENSSON, K. L., *et al.* 320–326
——, Validation of a system for measurement of metabolic gas exchange during anaesthesia with controlled ventilation in an oxygen consuming lung model, SVENSSON, K. L., *et al.* 311–319
Ventilation, diaphragm, Comparison of neuromuscular block in the diaphragm and hand after administration of tubocurarine, pancuronium and alcuronium, DERRINGTON, M. C., *et al.* 294–299
——, Effect of dantrolene on ventilation and respiratory muscle activity in anaesthetized dogs, OLIVEN, A., *et al.* 207–213
Ventilation, high frequency jet, Carbon dioxide monitoring during high frequency jet ventilation for direct laryngoscopy, BOURGAIN, J. L., *et al.* 327–330
——, Predictive value of FRC and respiratory compliance on pulmonary gas exchange induced by high frequency jet ventilation in humans, PITTET, J. F., *et al.* 460–468
——, Relationship between resonance and gas exchange during high frequency jet ventilation, LIN, E. S., *et al.* 453–459
——, Two cases of barotrauma associated with transtracheal jet ventilation, CRAFT, T. M., *et al.* 524–527
Ventilation, high frequency oscillation, A new infant oscillatory ventilator, CHAKRABARTI, M. K., *et al.* 374–378
Ventilation, hypoventilation, Profound respiratory depression after extradural fentanyl, BROCKWAY, M. S., *et al.* 243–245
Ventilation, impaired, Effects of transient reduction in breathing on pulse oximeter measurements during anaesthesia, MORRISON, L. M. M., *et al.*, (*ARS*) 400–401P
Ventilation, mechanical, Isoflurane sedation for patients undergoing mechanical ventilation: metabolism to inorganic fluoride and renal effects, KONG, K. L., *et al.* 159–162
——, One-hour measurements of energy expenditure in critical illness extrapolated to assess 24-h energy requirements, PHILLIPS, B., *et al.*, (*ARS*) 398P
Ventilation, paediatric, A new infant oscillatory ventilator, CHAKRABARTI, M. K., *et al.* 374–378
Ventilation, Read's rebreathing technique, A pseudo-rebreathing technique for the ventilatory sensitivity to carbon dioxide in man, DAHAN, A., *et al.*, (*ARS*) 401P
Ventilation, respiratory muscle activity, Effect of dantrolene on ventilation and respiratory muscle activity in anaesthetized dogs, OLIVEN, A., *et al.* 207–213
Vitamin B_{12}, Dimethylthiourea, a hydroxyl radical scavenger, impedes the inactivation of methionine synthase by nitrous oxide in mice, KOBLIN, D. D., *et al.* 214–223
Vomiting, antiemetics, Anaesthesia, movement and emesis, KAMATH, B., *et al.* 728–730
——, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
Vomiting, motion sickness, Anaesthesia, movement and emesis, KAMATH, B., *et al.* 728–730
Vomiting, nausea, Double blind comparison of transdermal hyoscine and placebo for the prevention of postoperative nausea, KOSKI, E. M. J., *et al.* 16–20
Vomiting, postoperative, Anaesthesia, movement and emesis, KAMATH, B., *et al.* 728–730

Weevil, Inhalation anaesthetics and invertebrates, CRANKSHAW, D. P., (*C*) 649